

DEMENTIA ESTIMATES AND PROJECTIONS: AUSTRALIAN STATES AND TERRITORIES

REPORT BY
ACCESS ECONOMICS PTY LIMITED

FOR

ALZHEIMER'S AUSTRALIA

FEBRUARY 2005



**ACCESS
ECONOMICS**



TABLE OF CONTENTS

EXECUTIVE SUMMARY	i
1. Background	1
2. Prevalence estimates and projections	2
2.1 Previous estimates and projections, Australia	2
2.2 Current estimates and projections, Australia	3
2.3 Estimates and projections, States/Territories	8
3. Incidence estimates and projections	18
3.1 Estimates and projections, Australia	18
3.2 Estimates and projections, States/Territories	20
References	30

TABLE OF FIGURES

Figure 1 Previous (2002) projection of dementia prevalence, 2002-2051	2
Figure 2 Prevalence rates for current estimates, by age group & gender (%)	4
Figure 3 Dementia prevalence, Australia, by gender, 2000-2010	7
Figure 4 Dementia prevalence, Australia, by gender, 2000-2050	7
Figure 5 Dementia prevalence ('000) by State/Territory, 2000 and 2050	8
Figure 6 Dementia prevalence ('000) by State/Territory, 2000-2050	9
Figure 7 Dementia incidence & prevalence, by gender ('000), 2001-2050	19
Figure 8 Dementia incidence, by age & gender ('000), 2005	19
Figure 9 Dementia incidence by State/Territory (% of total), 2005	20

TABLE OF TABLES

Table 1 Prevalence of dementia by age and gender, 2002 estimates	2
Table 2 DAC Survey prevalence estimates, by age and gender, 2003	3
Table 3 Meta-analysis prevalence rates, by 60+ age group & gender (%)	4
Table 4 Dementia prevalence by age & gender, Australia, 2000-2050	5
Table 5 Dementia prevalence ('000) by State/Territory, 2000-2050	9
Table 6 Dementia prevalence by age & gender, New South Wales, 2000-2050	10
Table 7 Dementia prevalence by age & gender, Victoria, 2000-2050	11
Table 8 Dementia prevalence by age & gender, Queensland, 2000-2050	12
Table 9 Dementia prevalence by age & gender, South Australia, 2000-2050	13
Table 10 Dementia prevalence by age & gender, Western Australia, 2000-2050	14
Table 11 Dementia prevalence by age & gender, Tasmania, 2000-2050	15
Table 12 Dementia prevalence by age & gender, Northern Territory, 2000-2050	16
Table 13 Dementia prevalence by age & gender, Australian Capital Territory, 2000-2050	17
Table 14 Meta-analysis incidence rates, by 60+ age group & gender (%)	18
Table 15 Dementia incidence ('000), by State/Territory, 2001-2050	20
Table 16 Dementia incidence by age & gender, Australia, 2001-2050	21



Table 17	Dementia incidence by age & gender, New South Wales, 2001-2050	22
Table 18	Dementia incidence by age & gender, Victoria, 2001-2050	23
Table 19	Dementia incidence by age & gender, Queensland, 2001-2050	24
Table 20	Dementia incidence by age & gender, South Australia, 2001-2050	25
Table 21	Dementia incidence by age & gender, Western Australia, 2001-2050	26
Table 22	Dementia incidence by age & gender, Tasmania, 2001-2050	27
Table 23	Dementia incidence by age & gender, Northern Territory, 2001-2050	28
Table 24	Dementia incidence by age & gender, Australian Capital Territory, 2001-2050	29

ACKNOWLEDGEMENT AND DISCLAIMER

Access Economics would like to acknowledge with appreciation the comments, previous research and expert input from Professor Anthony Jorm and his colleagues at the Centre for Mental Health Research, Australian National University.

While every effort has been made to ensure the accuracy of this document, the uncertain nature of economic data, forecasting and analysis means that Access Economics Pty Limited is unable to make any warranties in relation to the information contained herein. Access Economics Pty Limited, its employees and agents disclaim liability for any loss or damage which may arise as a consequence of any person relying on the information contained in this document.



EXECUTIVE SUMMARY

Analysis in this report suggests that the number of people with dementia will be 25% higher by mid-century than projected in 2003. There are three main reasons for this.

- ❑ Higher rates of diagnosis of dementia.
- ❑ More precise (and higher) prevalence rates of dementia for the oldest old.
- ❑ Revision of ABS demographic projections yielding higher forecasts of the future Australian population, particularly in the older age groups.

The higher estimates and projections for dementia incidence and prevalence across Australia since 2003 show the sensitivity of the projections to relatively minor changes. While this means that such forecasts should be used with caution, it also indicates that any *actual* delay in the onset of dementia – as a result, for example, of dementia research and medical breakthroughs – would have a dramatic impact on the future number of cases and the real costs of dementia.

- ❑ The new data indicate that in 2005, **the number of Australians with dementia will pass the 200,000 mark (and reach 1.0% of the population)**.
 - By 2050, the total number will exceed 730,000 (2.8% of the projected population) – **a fourfold increase since 2000**.

In 2005 we project there will be nearly 52,000 Australians newly diagnosed with dementia.

- By 2050, there are projected to be over 175,000 new cases every year, more than the total number of people with dementia in Australia in 2000.
- ❑ 1 in 3 Australians with dementia (around 70,000 people) live in New South Wales, projected to increase to 227,200 by 2050.
- ❑ 1 in 4 Australians with dementia are Victorian (around 50,000 people), projected to increase to 176,000 by 2050.
- ❑ The States with the oldest populations – South Australia, Tasmania, Victoria and New South Wales – have the highest incidence rates and thus prevalence burden of dementia, as a percentage of their populations.
- ❑ However, it is the younger States who will experience the faster growth, as their population distributions age into the dementia-prevalent years.
- ❑ The fastest growth is in the Northern Territory – a sixfold increase over 2000-2050. The slowest relative growth is in Tasmania, a 'mere' trebling.
- ❑ The Northern Territory, Queensland and Western Australia will experience rapid rises in dementia numbers in the near future.
 - **There will be around as many Queenslanders with dementia by 2050 (over 171,000) than there were in the whole of Australia in 2000.**

The analysis has shown no significant difference in the prevalence rates, after standardising for age and gender, between the States.

The report reinforces the critical importance of prevention activities, particularly research, in order to make the advances necessary to delay the onset of dementia. This will lead to a better quality of life for Australians and make significant savings in the future cost burden of dementia.



1. BACKGROUND

Access Economics (2003) provided estimates and projections to Alzheimer's Australia in 2003 for the prevalence of dementia in Australia as a whole for the years 2002, 2011, 2021, 2031, 2041 and 2051. These estimates were based on age specific prevalence rates derived from the Australian Bureau of Statistics (ABS) *Survey of Disability Ageing and Carers* (DAC Survey) for the years 1998 and 1993, together with international epidemiological data. The international data provided the more robust estimates of total prevalence, while the DAC self-reported data (see ABS, 1999 for Survey methodology) provided Australian age-gender splits, including for people aged under 65 years.

The main purpose of the 2003 Access Economics study was to provide the most reliable projections of the time, with an emphasis on the burgeoning economic cost of dementia due to demographic ageing, and the need for timely and cost-effective interventions to improve the quality of life for Australians with dementia as part of a national strategy to improve awareness, prevention and treatment of this important and under-recognised issue.

Access Economics (2004) demonstrated that delays in the onset of Alzheimer's disease alone through prevention would produce substantial reductions in the future number of cases and in the real costs of dementia. It was shown that if the onset of Alzheimer's disease could be delayed by 5 years, by mid-century there would be a 49% reduction in the total number of cases projected.

Professor Anthony Jorm and his colleagues at the Centre for Mental Health Research, Australian National University, have estimated new prevalence and incidence rates (Jorm et al, *in press*) based on the meta-analysis of European epidemiological studies by Wancata et al (2003). In September 2004 the results of a more recent DAC Survey were released (ABS, 2004), providing data collected June to November 2003, by severity of disability and by care setting including residential aged care facilities. In addition, release in September 2003 of detailed 2001 Census data has enabled the recalculation of ABS Series B (mid-case) population projections by demographic group and State/Territory; the fertility, mortality and migration assumptions are explained in ABS (2003).

Alzheimer's Australia commissioned Access Economics to utilise the new data to estimate dementia prevalence and incidence for States and Territories, as well as a re-estimation for the whole of Australia. This report presents the findings of this new analysis, details the methodology and explains variations between these and former aggregate estimates for Australia from Access Economics (2003). Two companion reports for Alzheimer's Australia Vic (Access Economics, 2005a) and for Alzheimer's Australia WA (Access Economics, 2005b) detail dementia prevalence and incidence for Victoria and Western Australia and their respective regions.

2. PREVALENCE ESTIMATES AND PROJECTIONS

2.1 PREVIOUS ESTIMATES AND PROJECTIONS, AUSTRALIA

Access Economics (2003) presented age-specific dementia prevalence rates as shown in Table 1, resulting in estimates of 162,300 Australians with dementia in 2002, 0.8% of the population.


TABLE 1 PREVALENCE OF DEMENTIA BY AGE AND GENDER, 2002 ESTIMATES

Age Group	Males 2002		Females 2002		People 2002		1993 % age group
	'000	% age group	'000	% age group	'000	% age group	
0-24	-	-	-	-	-	-	-
25-64	4.3	0.2%	2.3	0.1%	6.6	0.1%	0.1%
65-74	12.1	1.9%	7.6	1.1%	19.7	1.5%	1.2%
75-84	20.7	5.7%	34.1	6.8%	54.8	6.3%	6.0%
85+	19.1	22.8%	62	33.6%	81.1	30.2%	23.4%
Total	56.3	0.6%	106.0	1.1%	162.3	0.8%	0.6%

Source: Access Economics (2003), p31.

Applying these prevalence rates to estimates at that time of the growing Australian future population showed dementia reaching the half-million mark around 2041 and growing to 581,300 people by 2051, 2.3% of the then projected population (Figure 1).

FIGURE 1 PREVIOUS (2002) PROJECTION OF DEMENTIA PREVALENCE, 2002-2051



Source: Access Economics (2003), p32.

The report (p88) noted that these projections were likely to be conservative, since comparison of the 1993 and 1998 data showed an increase in the age prevalence of dementia over time (see final columns of Table 1), as diagnostics continue to improve:

“The prevalence estimates will be conservative as they will not capture people whose dementia has not been diagnosed....The prevalence



[projections] may be conservative as diagnoses may occur earlier in the future in line with the current trend."

This indeed appears to be the case, as revealed in the new data.

2.2 CURRENT ESTIMATES AND PROJECTIONS, AUSTRALIA

For this study, Access Economics acquired by special request new data (from the Survey of Disability, Ageing and Carers released by the ABS in 2004) for dementia prevalence rates as well as revised ABS demographic projections by States, Territories and Victorian regions. The raw self-reported prevalence data provided – which comprise much lower estimates than the true number of people with dementia for the reasons explained in Access Economics (2003) – are shown, by age and gender, in Table 2.

TABLE 2 DAC SURVEY PREVALENCE ESTIMATES, BY AGE AND GENDER, 2003

Age group (years)	NSW '000	Vic '000	Qld '000	SA '000	WA '000	Tas '000	ACT '000	Australia (a) '000
MALES								
0-59	np	**0.1	np	np	-	-	np	**1.1
60 and over	*8.6	*6.6	*5.5	*2.8	*3.2	**0.8	**0.3	27.8
Total	*9.5	*6.7	*5.5	*2.8	*3.2	**0.8	**0.3	28.9
FEMALES								
0-59	**0.2	**0.1	np	-	**0.1	np	np	**0.6
60 and over	23.4	23.1	12.3	*5.5	*5.5	*1.5	*0.9	72.4
Total	23.6	23.2	12.3	*5.5	*5.6	*1.5	*1.1	73.0
PERSONS								
0-59	**1.0	**0.2	**0.1	np	**0.1	np	**0.2	**1.7
60 and over	32.0	29.7	17.8	8.3	8.7	*2.3	*1.2	100.2
Total	33.0	29.9	17.8	8.4	8.8	*2.3	*1.4	101.9

- nil or rounded to zero (including null cells)

np not available for publication but included in the totals where applicable, unless otherwise indicated

* estimate has a relative standard error of between 25% and 50% and should be used with caution.

** estimate has a relative standard error greater than 50%; considered too unreliable for general use.

(a) Northern Territory data is not available for publication but is included in the totals.

The DAC data were useful in two respects:

- As previously, they provide (the only) estimate of the number of people with dementia in the population under 60, showing an estimated 1,700 Australians under 60 with dementia in 2003 (0.01% of Australians under 60), albeit with a very high standard error.
- The data for the population aged 60 and over show that there are no significant differences between State prevalence rates after standardising for age and gender distributions.
 - There were, however, significant differences for the Territories, with the Australian Capital Territory showing an over-representation of dementia




given its distribution by age and gender, and the Northern Territory an under-representation relative to the national average. The Territory differences may be due to different rates of diagnosis and/or to the small sample size which, as highlighted in Table 2, remained a problem at the aggregated “persons” level for the Australian Capital Territory, Northern Territory and Tasmania.

The DAC prevalence data were, as in Access Economics (2003), compared with the latest meta-analyses by Jorm et al (in press), which include Jorm et al (1987), Hofman et al (1991), Ritchie and Kildea (1995) and Lobo et al (2000). From these studies we estimated prevalence rates for those over 60 as shown in Table 3, by averaging the rates from the source studies for each age-gender group. The averages derived are also depicted graphically in Figure 2 for comparative purposes.

TABLE 3 META-ANALYSIS PREVALENCE RATES, BY 60+ AGE GROUP & GENDER (%)

Age Band	Jorm et al. (1987)	Hofman et al (1991)		Ritchie & Kildea (1995)	Lobo et al (2000)		Average	
	F+M	F	M	F+M	F	M	F	M
60-64	0.7	0.5	1.6	-	-	-	0.6	1.2
65-69	1.4	1.1	2.2	1.5	1	1.6	1.3	1.7
70-74	2.8	3.9	4.6	3.5	3.1	2.9	3.3	3.5
75-79	5.6	6.7	5	6.8	6	5.6	6.3	5.8
80-84	10.5	13.5	12.1	13.6	12.6	11	12.6	11.8
85-89	20.8	22.8	18.5	22.3	20.2	12.8	21.5	18.6
90-94	38.6	32.2	32.1	31.5	30.8	22.1	33.3	31.1
95+	-	36	31.6	44.5	-	-	40.3	38.1

FIGURE 2 PREVALENCE RATES FOR CURRENT ESTIMATES, BY AGE GROUP & GENDER (%)



Applying these average rates to the Australian population generates estimates of the number of people with dementia, by age group and gender, for the years shown in Table 4 over the page.



TABLE 4 DEMENTIA PREVALENCE BY AGE & GENDER, AUSTRALIA, 2000-2050

AUST ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.81	0.81	0.82	0.83	0.84	0.84	0.85	0.85	0.85	0.85	0.86	0.88	0.89	0.90	0.89
60-64	4.61	4.76	4.92	5.05	5.26	5.50	5.76	6.18	6.56	6.82	7.05	8.11	8.53	8.61	9.41
65-69	5.56	5.62	5.77	5.95	6.17	6.41	6.61	6.83	7.04	7.34	7.69	10.48	12.27	12.79	13.24
70-74	10.34	10.47	10.50	10.39	10.34	10.34	10.49	10.81	11.20	11.66	12.15	19.14	22.39	23.80	24.25
75-79	12.63	13.07	13.43	13.81	14.17	14.40	14.60	14.68	14.64	14.66	14.72	21.70	30.41	36.19	38.30
80-84	14.04	15.13	16.18	17.29	18.30	19.14	19.88	20.51	21.23	21.94	22.43	28.81	47.46	57.08	62.17
85-89	10.56	11.06	11.54	11.99	12.25	13.06	14.27	15.43	16.54	17.61	18.55	24.26	38.59	56.02	69.05
90-94	5.20	5.57	5.97	6.58	7.08	7.59	7.97	8.37	8.69	8.99	9.75	18.30	26.01	45.37	57.65
95+	1.52	1.73	1.91	2.20	2.28	2.45	2.64	2.86	3.12	3.39	3.69	7.98	12.82	21.78	35.32
TOTAL M	65.26	68.23	71.04	74.09	76.69	79.73	83.06	86.51	89.88	93.27	96.88	139.65	199.38	262.53	310.30
% of M Population	0.7%	0.7%	0.7%	0.8%	0.8%	0.8%	0.8%	0.8%	0.9%	0.9%	0.9%	1.2%	1.6%	2.1%	2.4%
% M of total Prev	38.1%	38.3%	38.4%	38.6%	38.8%	38.9%	39.1%	39.3%	39.5%	39.8%	40.0%	41.9%	42.8%	42.4%	42.4%
Female															
0-59	0.79	0.80	0.81	0.82	0.82	0.83	0.84	0.84	0.84	0.84	0.85	0.86	0.87	0.88	0.87
60-64	2.38	2.45	2.52	2.58	2.69	2.82	2.95	3.19	3.40	3.56	3.70	4.37	4.55	4.53	4.91
65-69	4.31	4.34	4.44	4.56	4.72	4.87	4.99	5.14	5.28	5.50	5.76	8.21	9.49	9.87	10.03
70-74	11.09	11.13	11.07	10.93	10.83	10.85	10.94	11.22	11.56	11.97	12.37	19.40	23.05	24.11	24.08
75-79	18.06	18.32	18.49	18.69	18.92	18.90	18.99	18.90	18.74	18.63	18.71	25.79	37.17	43.28	45.31
80-84	23.85	25.33	26.54	27.81	29.00	29.93	30.44	30.81	31.31	31.81	31.88	37.32	59.89	72.05	76.23
85-89	25.12	26.03	26.71	27.23	27.47	28.45	30.46	32.24	33.94	35.47	36.80	41.04	59.13	86.78	102.91
90-94	15.13	16.14	17.11	18.24	19.40	20.52	21.23	21.90	22.42	22.83	23.98	35.91	44.97	74.92	93.01
95+	5.22	5.58	6.07	6.76	7.36	7.96	8.62	9.32	9.99	10.75	11.57	20.37	26.94	40.14	63.39
TOTAL F	105.96	110.12	113.77	117.62	121.21	125.12	129.46	133.54	137.48	141.37	145.62	193.29	266.07	356.55	420.73
% of F Population	1.1%	1.1%	1.2%	1.2%	1.2%	1.2%	1.3%	1.3%	1.3%	1.3%	1.4%	1.7%	2.1%	2.7%	3.2%
% F of total Prev	61.9%	61.7%	61.6%	61.4%	61.2%	61.1%	60.9%	60.7%	60.5%	60.2%	60.0%	58.1%	57.2%	57.6%	57.6%
Persons															
0-59	1.60	1.62	1.63	1.65	1.66	1.67	1.68	1.69	1.69	1.70	1.70	1.74	1.76	1.77	1.76
60-64	6.99	7.21	7.43	7.63	7.95	8.32	8.71	9.37	9.96	10.38	10.76	12.48	13.08	13.14	14.32
65-69	9.88	9.96	10.21	10.51	10.89	11.28	11.60	11.97	12.32	12.84	13.45	18.70	21.76	22.67	23.27
70-74	21.43	21.61	21.57	21.32	21.17	21.18	21.43	22.03	22.77	23.63	24.52	38.54	45.45	47.91	48.33
75-79	30.68	31.40	31.92	32.50	33.09	33.30	33.59	33.57	33.39	33.29	33.43	47.48	67.58	79.47	83.62
80-84	37.88	40.46	42.72	45.11	47.31	49.07	50.32	51.32	52.54	53.75	54.31	66.13	107.35	129.13	138.39
85-89	35.68	37.09	38.25	39.22	39.72	41.52	44.73	47.66	50.48	53.09	55.35	65.30	97.73	142.80	171.96
90-94	20.33	21.71	23.08	24.82	26.48	28.10	29.21	30.27	31.11	31.82	33.73	54.21	70.98	120.28	150.66
95+	6.74	7.31	7.98	8.96	9.64	10.41	11.26	12.17	13.10	14.14	15.25	28.36	39.76	61.92	98.71
TOTAL P	171.22	178.35	184.80	191.71	197.90	204.85	212.52	220.05	227.36	234.64	242.50	332.93	465.46	619.09	731.03
% of Population	0.89%	0.92%	0.94%	0.96%	0.98%	1.01%	1.03%	1.06%	1.09%	1.11%	1.14%	1.44%	1.88%	2.40%	2.77%



The data show that dementia prevalence increases from 171,220 people in 2000 and around 197,900 in 2004, to 731,030 by 2050.

- ❑ The share of males is forecast to rise from 38% to 42% of all people with dementia over the period.

This year (2005), the year when the first of the baby boomers turn 60, the number of Australians with dementia will pass the 200,000 mark.

- ❑ By 2050 there are projected to be over 420,000 Australian women with dementia (3.2% of all women), and over 310,000 Australian men (2.4% of men).
- ❑ Overall, 2.8% of the population are projected to have dementia by 2050.

This number (731,030) is substantially (25%) larger than the 581,300 (2.3%) forecast using the data available in 2002. There are three main reasons for this.

- ❑ **Higher rates of diagnosis from the new data:** when applied to the population data for earlier in this decade, generate a **much higher start point**.
 - Thus, for 2002, the previous estimate of 162,300 becomes 184,800.
 - For people aged 65-74, we see from Table 1 that 1.5% of people were formerly estimated to have dementia; Table 3 shows that this is consistent only with the 65-69 year olds now (1.3%-1.7%) with the 70-74 year old prevalence rate now estimated to be 3.3%-3.5%.
- ❑ **More precise (higher) prevalence rates for the oldest old:** the previous report estimated prevalence of 6.3% in the 75-84 age band and 30.2% in the 85+ band, while the new prevalence estimates allow for narrower splits – five five-year bands from age 75 to 95+.
 - In the oldest group (95+) the prevalence rate is around 40%, and is also higher in the 90-94 and 80-84 bands (double for the latter group), where the most rapid population growth is forecast (the baby boomers start to turn 80 in 2025).
- ❑ **New demographic data:** the ABS population data projection revisions of 2003-04 yield slightly higher future forecasts of the Australian population.
 - The oldest old groups are revised upwards, largely reflecting life expectancy gains.

The significant change in prevalence estimates as a result of these factors underscores the sensitivity of the projections to such changes, lending caution to the interpretation and use of the forecasts. Indeed, more substantial events, such as research or treatment breakthroughs that enabled the delay of dementia onset, would produce substantial reductions in the future number of cases and in the real costs of dementia (Access Economics, 2004).

Figures 3 and 4 illustrate the growth over the forecast period in the estimated number of Australian men and women with dementia.



FIGURE 3 DEMENTIA PREVALENCE, AUSTRALIA, BY GENDER, 2000-2010





FIGURE 4 DEMENTIA PREVALENCE, AUSTRALIA, BY GENDER, 2000-2050





2.3 ESTIMATES AND PROJECTIONS, STATES/TERRITORIES

The trends for the States and Territories are very similar to those overall for Australia, with differences in growth rates reflecting different patterns of demographic change. Detailed tables for each State and Territory are shown on the following pages (Tables 6 to 13). A summary table (Table 5) and charts (Figures 5 and 6) are provided below, revealing that:

- ❑ 1 in 3 Australians with dementia live in New South Wales (over 70,000 people), although its share is projected to fall from 35% to 31% over 2000-50.
 - Nonetheless there will be more people with dementia in New South Wales by 2050 than there are today in the whole of the country.
- ❑ 1 in 4 Australians with dementia are Victorian (over 50,000 people), projected to increase to 176,000 by 2050. Like New South Wales, Victoria's share of the total is projected to fall, from 25.9% to 24.1% by 2050.
 - There will be more people with dementia in Victoria in 2050 than there were in the whole of Australia in 2000.
- ❑ The most rapid growth in dementia prevalence is projected for:
 - the Northern Territory (a six-fold increase over the period, possibly driven by the low base and longer forecast life expectancy into the more dementia-prevalent years);
 - Queensland (nearly six-fold – driven by population growth 'retiring to the sun'), which will have nearly as many people with dementia as Victoria by 2050; and
 - Western Australia (5.5 times the number with dementia in 2050 relative to 2000). Western Australia will have nearly 80,000 people with dementia relative to South Australia's 50,000 – although currently SA has more.
- ❑ Tasmania, the state with the oldest population profile already and *relatively* slow forecast growth, shows the slowest growth in numbers of people with dementia, although nonetheless three times the numbers of 2000 by 2050.

FIGURE 5 DEMENTIA PREVALENCE ('000) BY STATE/TERRITORY, 2000 AND 2050







TABLE 5 DEMENTIA PREVALENCE ('000) BY STATE/TERRITORY, 2000-2050

	NSW	VIC	QLD	SA	WA	TAS	NT	ACT	AUST
2000	60.3	44.3	29.2	16.1	14.5	4.6	0.4	1.8	171.2
2001	62.7	46.1	30.6	16.6	15.2	4.7	0.5	1.9	178.4
2002	64.9	47.6	31.9	17.1	15.8	4.9	0.5	2.0	184.8
2003	67.1	49.3	33.4	17.7	16.5	5.1	0.5	2.1	191.7
2004	69.1	50.8	34.7	18.3	17.1	5.2	0.5	2.2	197.9
2005	71.4	52.5	36.2	18.8	17.7	5.4	0.5	2.3	204.9
2006	73.8	54.5	37.8	19.4	18.5	5.5	0.6	2.4	212.5
2007	76.2	56.3	39.4	20.0	19.3	5.7	0.6	2.5	220.1
2008	78.5	58.1	40.9	20.6	20.0	5.9	0.6	2.7	227.4
2009	80.8	59.9	42.5	21.2	20.8	6.0	0.6	2.8	234.6
2010	83.2	61.9	44.3	21.8	21.6	6.2	0.7	2.9	242.5
2020	110.3	83.6	65.6	28.0	31.8	8.2	1.0	4.3	332.9
2030	149.5	114.0	99.0	36.8	47.3	11.0	1.6	6.3	465.5
2040	194.8	149.8	138.7	46.2	65.5	13.6	2.2	8.3	619.1
2050	227.2	176.1	171.1	50.7	79.2	14.3	2.7	9.6	731.0
2000-50*	3.8	4.0	5.9	3.2	5.5	3.1	6.1	5.4	4.3
Growth rank*	6	5	2	7	3	8	1	4	
Share 2000	35.2%	25.9%	17.1%	9.4%	8.5%	2.7%	0.3%	1.0%	100.0%
Share 2050	31.1%	24.1%	23.4%	6.9%	10.8%	2.0%	0.4%	1.3%	100.0%
%pop'n 2000	0.93%	0.94%	0.82%	1.07%	0.77%	0.97%	0.23%	0.56%	0.89%
%pop'n 2050	2.72%	2.84%	2.68%	3.42%	2.76%	3.67%	0.88%	2.45%	2.77%

* 2000-50 is the prevalence in 2050 divided by the prevalence in 2000 (ie the factor of growth over the period). The growth rank ranks States/Territories according to the factor of growth from fastest (1) to slowest (8).

FIGURE 6 DEMENTIA PREVALENCE ('000) BY STATE/TERRITORY, 2000-2050





Dementia estimates and projections:
Australian States and Territories

TABLE 6 DEMENTIA PREVALENCE BY AGE & GENDER, NEW SOUTH WALES, 2000-2050

NSW ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.28
60-64	1.59	1.63	1.67	1.70	1.77	1.85	1.94	2.07	2.19	2.27	2.33	2.66	2.76	2.79	3.00
65-69	1.94	1.96	2.00	2.04	2.11	2.19	2.24	2.29	2.36	2.46	2.57	3.42	3.99	4.15	4.22
70-74	3.64	3.68	3.69	3.63	3.59	3.57	3.61	3.71	3.82	3.96	4.10	6.24	7.24	7.60	7.76
75-79	4.48	4.61	4.71	4.83	4.95	5.00	5.06	5.08	5.05	5.02	5.02	7.13	9.77	11.59	12.23
80-84	4.99	5.38	5.74	6.10	6.43	6.71	6.91	7.09	7.32	7.56	7.69	9.50	15.16	18.07	19.46
85-89	3.64	3.82	4.03	4.19	4.31	4.57	5.00	5.38	5.75	6.08	6.39	8.04	12.35	17.54	21.55
90-94	1.72	1.85	2.01	2.23	2.39	2.58	2.71	2.86	2.98	3.10	3.35	6.06	8.29	14.03	17.66
95+	0.50	0.58	0.63	0.73	0.75	0.81	0.87	0.94	1.03	1.12	1.22	2.64	4.08	6.70	10.61
TOTAL M	22.77	23.79	24.75	25.73	26.58	27.56	28.62	29.71	30.78	31.85	32.96	45.97	63.93	82.77	96.78
% of M Population	0.7%	0.7%	0.8%	0.8%	0.8%	0.8%	0.8%	0.9%	0.9%	0.9%	0.9%	1.2%	1.6%	2.0%	2.3%
% M of total Prev	37.8%	38.0%	38.1%	38.3%	38.4%	38.6%	38.8%	39.0%	39.2%	39.4%	39.6%	41.7%	42.8%	42.5%	42.6%
Female															
0-59	0.27	0.27	0.27	0.27	0.27	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.28
60-64	0.82	0.84	0.86	0.87	0.91	0.95	0.99	1.06	1.13	1.17	1.21	1.42	1.44	1.45	1.54
65-69	1.52	1.52	1.55	1.58	1.62	1.66	1.70	1.73	1.77	1.84	1.93	2.65	3.04	3.14	3.14
70-74	3.94	3.95	3.92	3.84	3.78	3.78	3.79	3.86	3.96	4.08	4.19	6.28	7.37	7.56	7.60
75-79	6.44	6.51	6.55	6.60	6.66	6.63	6.65	6.61	6.52	6.44	6.44	8.49	11.85	13.67	14.26
80-84	8.55	9.06	9.46	9.83	10.22	10.55	10.67	10.76	10.92	11.06	11.04	12.38	19.06	22.69	23.55
85-89	8.84	9.12	9.44	9.68	9.81	10.09	10.77	11.35	11.86	12.36	12.82	13.80	19.09	27.21	31.97
90-94	5.30	5.65	6.01	6.36	6.71	7.10	7.35	7.64	7.88	8.04	8.38	12.14	14.58	23.38	28.74
95+	1.82	1.96	2.13	2.36	2.56	2.76	2.99	3.21	3.42	3.67	3.95	6.90	8.83	12.66	19.39
TOTAL F	37.50	38.89	40.18	41.39	42.55	43.80	45.19	46.51	47.74	48.95	50.23	64.34	85.55	112.03	130.46
% of F Population	1.1%	1.2%	1.2%	1.2%	1.3%	1.3%	1.3%	1.3%	1.4%	1.4%	1.4%	1.7%	2.1%	2.7%	3.1%
% F of total Prev	62.2%	62.0%	61.9%	61.7%	61.6%	61.4%	61.2%	61.0%	60.8%	60.6%	60.4%	58.3%	57.2%	57.5%	57.4%
Persons															
0-59	0.54	0.54	0.55	0.55	0.55	0.56	0.56	0.56	0.56	0.56	0.56	0.57	0.57	0.57	0.56
60-64	2.41	2.47	2.53	2.58	2.68	2.80	2.93	3.13	3.32	3.44	3.55	4.07	4.20	4.24	4.54
65-69	3.46	3.48	3.55	3.62	3.74	3.85	3.94	4.03	4.13	4.30	4.50	6.08	7.03	7.29	7.36
70-74	7.57	7.63	7.61	7.47	7.37	7.35	7.40	7.57	7.79	8.04	8.29	12.52	14.61	15.16	15.36
75-79	10.92	11.13	11.25	11.43	11.61	11.63	11.71	11.69	11.57	11.46	11.46	15.61	21.62	25.26	26.49
80-84	13.54	14.44	15.20	15.93	16.65	17.26	17.59	17.85	18.24	18.61	18.73	21.89	34.22	40.76	43.02
85-89	12.48	12.94	13.47	13.86	14.12	14.67	15.77	16.73	17.61	18.45	19.21	21.84	31.44	44.74	53.52
90-94	7.02	7.50	8.01	8.59	9.10	9.68	10.06	10.50	10.85	11.14	11.73	18.20	22.87	37.41	46.40
95+	2.32	2.54	2.76	3.09	3.31	3.57	3.86	4.15	4.46	4.79	5.17	9.54	12.91	19.36	30.00
TOTAL P	60.27	62.68	64.93	67.12	69.13	71.36	73.81	76.22	78.52	80.79	83.20	110.31	149.48	194.80	227.24
% of Population	0.93%	0.95%	0.98%	1.00%	1.02%	1.05%	1.07%	1.10%	1.12%	1.15%	1.17%	1.45%	1.87%	2.36%	2.72%



TABLE 7 DEMENTIA PREVALENCE BY AGE & GENDER, VICTORIA, 2000-2050

VIC ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21
60-64	1.14	1.17	1.21	1.23	1.28	1.32	1.38	1.47	1.56	1.62	1.67	1.92	2.03	2.01	2.16
65-69	1.41	1.41	1.44	1.48	1.52	1.57	1.61	1.66	1.71	1.76	1.83	2.46	2.86	2.98	3.04
70-74	2.64	2.67	2.66	2.62	2.62	2.61	2.63	2.70	2.78	2.87	2.98	4.50	5.27	5.61	5.64
75-79	3.20	3.33	3.41	3.52	3.61	3.68	3.73	3.74	3.72	3.73	3.73	5.21	7.19	8.51	8.98
80-84	3.52	3.80	4.07	4.36	4.65	4.87	5.08	5.24	5.45	5.62	5.76	7.14	11.32	13.60	14.85
85-89	2.76	2.89	2.97	3.05	3.08	3.28	3.60	3.92	4.21	4.51	4.75	6.22	9.39	13.46	16.52
90-94	1.40	1.50	1.60	1.75	1.88	1.99	2.08	2.16	2.22	2.28	2.47	4.77	6.54	11.02	14.03
95+	0.42	0.46	0.52	0.60	0.62	0.67	0.71	0.77	0.84	0.91	0.98	2.08	3.35	5.45	8.72
TOTAL M	16.70	17.42	18.09	18.82	19.47	20.20	21.03	21.87	22.69	23.51	24.38	34.50	48.15	62.86	74.15
% of M Population	0.7%	0.7%	0.8%	0.8%	0.8%	0.8%	0.8%	0.9%	0.9%	0.9%	0.9%	1.2%	1.6%	2.1%	2.4%
% M of total Prev	37.7%	37.8%	38.0%	38.2%	38.3%	38.4%	38.6%	38.8%	39.0%	39.2%	39.4%	41.3%	42.2%	42.0%	42.1%
Female															
0-59	0.20	0.20	0.20	0.20	0.20	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.21	0.20
60-64	0.61	0.62	0.63	0.64	0.67	0.69	0.72	0.78	0.83	0.87	0.90	1.04	1.10	1.06	1.15
65-69	1.11	1.12	1.14	1.16	1.20	1.23	1.25	1.28	1.30	1.35	1.41	1.97	2.25	2.34	2.35
70-74	2.89	2.89	2.85	2.81	2.79	2.79	2.81	2.88	2.95	3.04	3.12	4.72	5.51	5.82	5.66
75-79	4.69	4.77	4.83	4.87	4.92	4.92	4.93	4.87	4.84	4.81	4.82	6.33	8.97	10.35	10.83
80-84	6.10	6.48	6.80	7.17	7.53	7.77	7.94	8.08	8.19	8.30	8.32	9.48	14.71	17.38	18.57
85-89	6.59	6.80	6.90	6.97	6.97	7.26	7.79	8.27	8.78	9.23	9.58	10.64	14.64	21.15	24.86
90-94	4.04	4.31	4.56	4.79	5.09	5.36	5.52	5.64	5.72	5.80	6.13	9.40	11.48	18.52	22.61
95+	1.43	1.51	1.64	1.84	1.97	2.11	2.29	2.47	2.63	2.82	3.03	5.31	7.03	10.11	15.70
TOTAL F	27.64	28.68	29.55	30.46	31.34	32.34	33.45	34.47	35.45	36.44	37.52	49.10	65.90	86.95	101.92
% of F Population	1.1%	1.2%	1.2%	1.2%	1.2%	1.3%	1.3%	1.3%	1.4%	1.4%	1.4%	1.7%	2.2%	2.8%	3.2%
% F of total Prev	62.3%	62.2%	62.0%	61.8%	61.7%	61.6%	61.4%	61.2%	61.0%	60.8%	60.6%	58.7%	57.8%	58.0%	57.9%
Persons															
0-59	0.39	0.40	0.40	0.41	0.41	0.41	0.41	0.41	0.42	0.42	0.42	0.42	0.42	0.42	0.41
60-64	1.75	1.79	1.84	1.88	1.94	2.01	2.10	2.25	2.39	2.48	2.57	2.96	3.13	3.08	3.31
65-69	2.52	2.53	2.58	2.64	2.72	2.80	2.86	2.94	3.01	3.11	3.24	4.43	5.12	5.32	5.39
70-74	5.52	5.55	5.50	5.44	5.42	5.40	5.45	5.58	5.73	5.91	6.10	9.23	10.77	11.43	11.30
75-79	7.89	8.09	8.25	8.39	8.54	8.60	8.65	8.61	8.56	8.54	8.55	11.53	16.16	18.86	19.81
80-84	9.62	10.28	10.87	11.53	12.18	12.64	13.02	13.32	13.64	13.93	14.08	16.61	26.02	30.99	33.42
85-89	9.35	9.69	9.88	10.02	10.05	10.54	11.39	12.19	12.98	13.74	14.33	16.86	24.03	34.61	41.38
90-94	5.44	5.81	6.15	6.54	6.97	7.35	7.60	7.80	7.94	8.07	8.60	14.17	18.02	29.55	36.63
95+	1.85	1.97	2.16	2.44	2.59	2.78	3.00	3.24	3.47	3.73	4.01	7.39	10.38	15.55	24.42
TOTAL P	44.34	46.10	47.63	49.27	50.81	52.54	54.48	56.34	58.14	59.94	61.90	83.60	114.05	149.81	176.07
% of Population	0.94%	0.96%	0.98%	1.00%	1.02%	1.04%	1.07%	1.10%	1.13%	1.15%	1.18%	1.49%	1.92%	2.45%	2.84%



TABLE 8 DEMENTIA PREVALENCE BY AGE & GENDER, QUEENSLAND, 2000-2050

QLD ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.19	0.20	0.21	0.22
60-64	0.85	0.90	0.94	0.98	1.03	1.09	1.15	1.24	1.33	1.39	1.44	1.72	1.90	2.00	2.30
65-69	0.99	1.02	1.07	1.12	1.17	1.24	1.30	1.36	1.42	1.49	1.58	2.25	2.74	3.00	3.24
70-74	1.80	1.84	1.87	1.88	1.89	1.91	1.96	2.05	2.15	2.27	2.41	4.10	4.96	5.52	5.87
75-79	2.21	2.29	2.37	2.44	2.51	2.57	2.62	2.66	2.69	2.72	2.76	4.59	6.68	8.26	9.16
80-84	2.51	2.72	2.91	3.10	3.26	3.42	3.56	3.69	3.82	3.96	4.07	5.85	10.35	12.86	14.62
85-89	1.85	1.93	2.05	2.17	2.24	2.40	2.62	2.83	3.02	3.21	3.38	4.71	8.35	12.55	16.05
90-94	0.93	1.00	1.05	1.15	1.28	1.37	1.44	1.54	1.62	1.69	1.84	3.47	5.46	10.14	13.29
95+	0.26	0.30	0.33	0.38	0.40	0.44	0.48	0.52	0.57	0.63	0.68	1.54	2.58	4.82	8.11
TOTAL M	11.57	12.15	12.74	13.40	13.96	14.60	15.30	16.06	16.79	17.54	18.34	28.40	43.22	59.37	72.87
% of M Population	0.7%	0.7%	0.7%	0.7%	0.7%	0.7%	0.8%	0.8%	0.8%	0.8%	0.9%	1.2%	1.6%	2.0%	2.3%
% M of total Prev	39.5%	39.7%	39.9%	40.1%	40.2%	40.4%	40.5%	40.8%	41.0%	41.2%	41.4%	43.3%	43.7%	42.8%	42.6%
Female															
0-59	0.15	0.15	0.15	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.19	0.20	0.21	0.21
60-64	0.42	0.44	0.47	0.49	0.52	0.55	0.58	0.63	0.68	0.72	0.75	0.94	1.04	1.09	1.23
65-69	0.74	0.75	0.78	0.82	0.86	0.90	0.94	0.99	1.03	1.09	1.16	1.75	2.16	2.37	2.50
70-74	1.87	1.90	1.91	1.90	1.90	1.92	1.95	2.02	2.11	2.22	2.33	4.08	5.11	5.66	5.95
75-79	3.01	3.07	3.11	3.18	3.24	3.27	3.31	3.32	3.32	3.32	3.37	5.30	8.07	9.98	10.97
80-84	4.03	4.30	4.53	4.75	4.92	5.09	5.21	5.27	5.41	5.53	5.59	7.21	12.78	16.18	18.08
85-89	4.16	4.32	4.48	4.63	4.72	4.91	5.27	5.58	5.86	6.11	6.36	7.58	12.37	19.10	23.99
90-94	2.46	2.62	2.78	3.02	3.28	3.48	3.61	3.76	3.89	4.00	4.21	6.50	8.93	16.28	21.21
95+	0.84	0.89	0.96	1.06	1.19	1.29	1.42	1.54	1.68	1.84	1.98	3.64	5.10	8.46	14.12
TOTAL F	17.68	18.45	19.18	20.01	20.78	21.58	22.45	23.30	24.14	24.99	25.92	37.20	55.76	79.32	98.25
% of F Population	1.0%	1.0%	1.0%	1.1%	1.1%	1.1%	1.1%	1.1%	1.2%	1.2%	1.2%	1.5%	2.0%	2.6%	3.0%
% F of total Prev	60.5%	60.3%	60.1%	59.9%	59.8%	59.6%	59.5%	59.2%	59.0%	58.8%	58.6%	56.7%	56.3%	57.2%	57.4%
Persons															
0-59	0.30	0.31	0.31	0.32	0.32	0.33	0.33	0.33	0.34	0.34	0.34	0.37	0.40	0.42	0.43
60-64	1.28	1.34	1.41	1.47	1.55	1.64	1.74	1.88	2.01	2.11	2.19	2.66	2.94	3.10	3.52
65-69	1.74	1.77	1.85	1.94	2.03	2.14	2.24	2.35	2.45	2.58	2.74	4.00	4.90	5.36	5.74
70-74	3.68	3.74	3.78	3.79	3.79	3.83	3.91	4.07	4.26	4.49	4.74	8.18	10.08	11.18	11.82
75-79	5.22	5.37	5.48	5.62	5.76	5.83	5.93	5.99	6.01	6.04	6.13	9.89	14.75	18.24	20.13
80-84	6.54	7.02	7.44	7.85	8.18	8.51	8.77	8.96	9.23	9.50	9.66	13.06	23.13	29.04	32.70
85-89	6.00	6.25	6.53	6.81	6.96	7.31	7.89	8.41	8.88	9.31	9.74	12.29	20.72	31.66	40.03
90-94	3.39	3.62	3.83	4.17	4.55	4.85	5.04	5.30	5.51	5.69	6.05	9.97	14.38	26.42	34.51
95+	1.10	1.19	1.28	1.44	1.59	1.73	1.90	2.06	2.25	2.46	2.66	5.18	7.68	13.28	22.23
TOTAL P	29.25	30.60	31.92	33.40	34.74	36.18	37.75	39.35	40.93	42.53	44.25	65.61	98.98	138.69	171.11
% of Population	0.82%	0.84%	0.86%	0.88%	0.90%	0.92%	0.94%	0.97%	0.99%	1.01%	1.04%	1.33%	1.79%	2.30%	2.68%



TABLE 9 DEMENTIA PREVALENCE BY AGE & GENDER, SOUTH AUSTRALIA, 2000-2050

SA ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05
60-64	0.38	0.38	0.39	0.40	0.42	0.43	0.45	0.49	0.52	0.54	0.56	0.60	0.58	0.53	0.55
65-69	0.47	0.47	0.48	0.49	0.50	0.52	0.53	0.54	0.56	0.58	0.60	0.79	0.87	0.81	0.79
70-74	0.94	0.94	0.92	0.89	0.88	0.87	0.88	0.90	0.92	0.95	0.98	1.50	1.65	1.61	1.48
75-79	1.18	1.20	1.24	1.27	1.30	1.31	1.30	1.28	1.27	1.26	1.24	1.71	2.31	2.58	2.44
80-84	1.33	1.44	1.52	1.61	1.69	1.76	1.82	1.89	1.95	2.00	2.03	2.33	3.72	4.20	4.20
85-89	1.01	1.04	1.08	1.12	1.16	1.23	1.34	1.43	1.52	1.61	1.70	2.03	3.00	4.21	4.85
90-94	0.49	0.52	0.56	0.63	0.66	0.71	0.74	0.78	0.81	0.84	0.91	1.62	2.05	3.48	4.15
95+	0.13	0.15	0.16	0.18	0.20	0.22	0.24	0.26	0.28	0.31	0.34	0.71	1.06	1.65	2.59
TOTAL M	6.00	6.21	6.41	6.67	6.88	7.13	7.37	7.63	7.88	8.14	8.41	11.34	15.30	19.12	21.09
% of M Population	0.8%	0.8%	0.9%	0.9%	0.9%	0.9%	1.0%	1.0%	1.0%	1.1%	1.1%	1.4%	1.9%	2.5%	2.9%
% M of total Prev	37.4%	37.4%	37.5%	37.6%	37.7%	37.9%	37.9%	38.1%	38.2%	38.5%	38.7%	40.5%	41.6%	41.3%	41.6%
Female															
0-59	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.06	0.05	0.05	0.05
60-64	0.20	0.20	0.21	0.21	0.22	0.23	0.24	0.26	0.28	0.29	0.30	0.33	0.31	0.27	0.28
65-69	0.38	0.37	0.38	0.39	0.40	0.41	0.41	0.42	0.43	0.44	0.46	0.63	0.67	0.62	0.59
70-74	1.02	1.01	0.99	0.96	0.95	0.94	0.93	0.95	0.98	1.01	1.03	1.56	1.71	1.61	1.45
75-79	1.72	1.74	1.75	1.75	1.76	1.73	1.72	1.69	1.66	1.63	1.62	2.09	2.86	3.07	2.87
80-84	2.27	2.41	2.53	2.65	2.77	2.85	2.90	2.92	2.93	2.96	2.93	3.14	4.84	5.38	5.14
85-89	2.43	2.51	2.55	2.61	2.61	2.70	2.91	3.09	3.26	3.39	3.51	3.58	4.82	6.70	7.33
90-94	1.47	1.55	1.64	1.78	1.89	1.99	2.05	2.10	2.16	2.18	2.29	3.31	3.81	6.08	6.98
95+	0.52	0.54	0.60	0.65	0.72	0.78	0.84	0.91	0.98	1.06	1.13	1.97	2.41	3.34	4.97
TOTAL F	10.06	10.41	10.70	11.06	11.37	11.69	12.06	12.40	12.73	13.03	13.35	16.66	21.47	27.12	29.65
% of F Population	1.3%	1.4%	1.4%	1.4%	1.5%	1.5%	1.5%	1.6%	1.6%	1.7%	1.7%	2.1%	2.7%	3.5%	4.0%
% F of total Prev	62.6%	62.6%	62.5%	62.4%	62.3%	62.1%	62.1%	61.9%	61.8%	61.5%	61.3%	59.5%	58.4%	58.7%	58.4%
Persons															
0-59	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.11	0.10	0.09
60-64	0.58	0.59	0.60	0.62	0.64	0.66	0.70	0.75	0.79	0.83	0.86	0.93	0.89	0.80	0.83
65-69	0.85	0.85	0.86	0.88	0.90	0.93	0.94	0.96	0.99	1.02	1.07	1.42	1.54	1.43	1.38
70-74	1.96	1.94	1.90	1.86	1.83	1.81	1.81	1.86	1.90	1.96	2.01	3.05	3.36	3.22	2.93
75-79	2.90	2.95	2.99	3.01	3.06	3.04	3.03	2.98	2.92	2.89	2.87	3.79	5.17	5.65	5.31
80-84	3.60	3.85	4.04	4.26	4.46	4.62	4.72	4.80	4.88	4.96	4.96	5.47	8.55	9.59	9.34
85-89	3.44	3.55	3.63	3.73	3.77	3.93	4.25	4.52	4.78	5.01	5.21	5.61	7.83	10.91	12.18
90-94	1.96	2.07	2.20	2.41	2.56	2.71	2.79	2.87	2.97	3.02	3.19	4.93	5.86	9.55	11.13
95+	0.65	0.69	0.76	0.83	0.92	1.00	1.08	1.17	1.26	1.37	1.47	2.68	3.47	4.99	7.56
TOTAL P	16.06	16.62	17.11	17.73	18.25	18.82	19.44	20.04	20.61	21.17	21.76	28.00	36.77	46.24	50.74
% of Population	1.07%	1.10%	1.13%	1.16%	1.19%	1.22%	1.26%	1.29%	1.33%	1.36%	1.39%	1.76%	2.31%	2.97%	3.42%



TABLE 10 DEMENTIA PREVALENCE BY AGE & GENDER, WESTERN AUSTRALIA, 2000-2050

WA ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.10	0.10
60-64	0.43	0.45	0.47	0.48	0.51	0.53	0.56	0.61	0.65	0.68	0.71	0.85	0.91	0.93	1.04
65-69	0.50	0.51	0.53	0.55	0.58	0.61	0.63	0.66	0.68	0.71	0.75	1.09	1.30	1.37	1.45
70-74	0.89	0.91	0.93	0.93	0.93	0.94	0.96	0.99	1.05	1.11	1.16	1.95	2.36	2.57	2.63
75-79	1.05	1.10	1.15	1.18	1.22	1.25	1.29	1.31	1.32	1.33	1.35	2.14	3.20	3.86	4.13
80-84	1.13	1.22	1.32	1.44	1.55	1.63	1.71	1.78	1.85	1.92	1.98	2.81	4.94	6.11	6.81
85-89	0.89	0.94	0.96	0.98	1.00	1.07	1.18	1.28	1.41	1.52	1.61	2.30	3.92	6.05	7.56
90-94	0.46	0.49	0.54	0.58	0.61	0.65	0.69	0.71	0.73	0.75	0.82	1.68	2.65	4.91	6.39
95+	0.15	0.17	0.19	0.22	0.22	0.23	0.24	0.26	0.28	0.31	0.33	0.73	1.27	2.33	3.99
TOTAL M	5.59	5.88	6.16	6.45	6.69	6.99	7.34	7.70	8.05	8.42	8.80	13.64	20.65	28.23	34.12
% of M Population	0.60%	0.62%	0.64%	0.66%	0.68%	0.70%	0.72%	0.75%	0.77%	0.80%	0.82%	1.14%	1.58%	2.04%	2.37%
% M of total Prev	38.6%	38.6%	38.9%	39.1%	39.2%	39.4%	39.7%	40.0%	40.3%	40.5%	40.8%	42.8%	43.7%	43.1%	43.1%
Female															
0-59	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.09
60-64	0.22	0.23	0.24	0.24	0.25	0.26	0.28	0.30	0.32	0.34	0.36	0.45	0.47	0.47	0.53
65-69	0.38	0.39	0.40	0.42	0.44	0.45	0.47	0.48	0.50	0.52	0.54	0.84	0.98	1.02	1.07
70-74	0.93	0.95	0.95	0.96	0.96	0.97	0.99	1.03	1.07	1.11	1.16	1.91	2.38	2.52	2.54
75-79	1.47	1.49	1.52	1.55	1.59	1.61	1.64	1.64	1.65	1.67	1.69	2.47	3.85	4.50	4.73
80-84	1.93	2.04	2.17	2.30	2.40	2.47	2.52	2.57	2.64	2.71	2.76	3.57	5.99	7.55	8.10
85-89	2.14	2.26	2.27	2.26	2.25	2.36	2.51	2.68	2.85	2.99	3.09	3.82	5.81	9.20	10.96
90-94	1.32	1.42	1.50	1.61	1.72	1.81	1.90	1.92	1.91	1.92	2.04	3.24	4.45	7.77	10.08
95+	0.44	0.49	0.53	0.61	0.67	0.73	0.79	0.85	0.91	0.98	1.06	1.81	2.60	4.11	6.95
TOTAL F	8.91	9.35	9.66	10.03	10.36	10.75	11.16	11.56	11.94	12.34	12.80	18.19	26.61	37.23	45.06
% of F Population	0.95%	0.99%	1.01%	1.03%	1.05%	1.07%	1.10%	1.12%	1.15%	1.17%	1.20%	1.53%	2.05%	2.70%	3.15%
% F of total Prev	61.4%	61.4%	61.1%	60.9%	60.8%	60.6%	60.3%	60.0%	59.7%	59.5%	59.2%	57.2%	56.3%	56.9%	56.9%
Persons															
0-59	0.16	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.17	0.17	0.17	0.18	0.19	0.19	0.19
60-64	0.65	0.68	0.71	0.73	0.76	0.79	0.83	0.91	0.97	1.03	1.07	1.29	1.39	1.40	1.57
65-69	0.88	0.90	0.93	0.97	1.02	1.06	1.10	1.14	1.18	1.23	1.29	1.93	2.27	2.39	2.52
70-74	1.82	1.86	1.88	1.88	1.88	1.91	1.95	2.02	2.12	2.22	2.32	3.86	4.73	5.09	5.18
75-79	2.52	2.60	2.67	2.74	2.81	2.86	2.92	2.95	2.97	3.00	3.05	4.61	7.05	8.36	8.87
80-84	3.06	3.27	3.49	3.75	3.95	4.10	4.23	4.36	4.49	4.63	4.74	6.37	10.94	13.66	14.91
85-89	3.03	3.20	3.24	3.24	3.25	3.43	3.68	3.96	4.26	4.52	4.71	6.12	9.74	15.25	18.52
90-94	1.79	1.92	2.03	2.19	2.32	2.47	2.59	2.63	2.64	2.67	2.87	4.92	7.09	12.69	16.47
95+	0.59	0.66	0.72	0.82	0.90	0.96	1.03	1.11	1.19	1.29	1.39	2.54	3.87	6.44	10.95
TOTAL P	14.50	15.23	15.83	16.48	17.05	17.75	18.50	19.25	19.99	20.75	21.60	31.83	47.26	65.46	79.19
% of Population	0.77%	0.80%	0.82%	0.84%	0.86%	0.88%	0.91%	0.94%	0.96%	0.98%	1.01%	1.34%	1.82%	2.37%	2.76%



TABLE 11 DEMENTIA PREVALENCE BY AGE & GENDER, TASMANIA, 2000-2050

TAS ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01
60-64	0.12	0.13	0.13	0.13	0.14	0.14	0.15	0.16	0.17	0.17	0.18	0.19	0.17	0.15	0.15
65-69	0.15	0.15	0.15	0.16	0.16	0.17	0.18	0.18	0.19	0.19	0.20	0.26	0.27	0.23	0.22
70-74	0.28	0.28	0.28	0.28	0.28	0.28	0.28	0.29	0.30	0.31	0.32	0.48	0.52	0.47	0.42
75-79	0.33	0.35	0.36	0.36	0.37	0.38	0.38	0.39	0.39	0.39	0.39	0.56	0.73	0.78	0.70
80-84	0.38	0.39	0.41	0.44	0.47	0.49	0.52	0.53	0.55	0.57	0.58	0.74	1.15	1.29	1.20
85-89	0.29	0.31	0.32	0.32	0.32	0.33	0.35	0.38	0.41	0.43	0.46	0.61	0.94	1.27	1.40
90-94	0.13	0.14	0.15	0.16	0.18	0.20	0.21	0.21	0.21	0.22	0.23	0.43	0.60	1.00	1.18
95+	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.07	0.07	0.08	0.09	0.17	0.27	0.45	0.68
TOTAL M	1.73	1.80	1.86	1.93	1.99	2.06	2.14	2.22	2.29	2.37	2.46	3.44	4.67	5.66	5.96
% of M Population	0.75%	0.78%	0.80%	0.82%	0.85%	0.88%	0.91%	0.94%	0.98%	1.01%	1.04%	1.47%	2.06%	2.68%	3.11%
% M of total Prev	37.8%	38.0%	38.1%	38.2%	38.4%	38.5%	38.6%	38.9%	39.1%	39.3%	39.5%	41.8%	42.4%	41.7%	41.6%
Female															
0-59	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.01	0.01	0.01
60-64	0.06	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.09	0.09	0.09	0.10	0.09	0.08	0.08
65-69	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.14	0.14	0.15	0.15	0.20	0.21	0.19	0.17
70-74	0.29	0.29	0.29	0.29	0.29	0.29	0.29	0.30	0.31	0.32	0.33	0.49	0.54	0.49	0.42
75-79	0.49	0.49	0.48	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.49	0.66	0.90	0.95	0.84
80-84	0.67	0.70	0.72	0.75	0.77	0.79	0.80	0.80	0.81	0.82	0.82	0.96	1.47	1.65	1.50
85-89	0.69	0.71	0.74	0.75	0.76	0.78	0.81	0.85	0.89	0.92	0.95	1.03	1.45	2.00	2.14
90-94	0.39	0.42	0.44	0.47	0.49	0.53	0.55	0.58	0.60	0.61	0.63	0.85	1.07	1.69	1.95
95+	0.12	0.14	0.15	0.17	0.18	0.20	0.21	0.22	0.24	0.26	0.28	0.47	0.59	0.86	1.27
TOTAL F	2.85	2.94	3.03	3.13	3.20	3.29	3.39	3.49	3.58	3.66	3.75	4.80	6.35	7.92	8.38
% of F Population	1.19%	1.23%	1.26%	1.29%	1.33%	1.36%	1.40%	1.44%	1.48%	1.51%	1.55%	1.99%	2.71%	3.60%	4.21%
% F of total Prev	62.2%	62.0%	61.9%	61.8%	61.6%	61.5%	61.4%	61.1%	60.9%	60.7%	60.5%	58.2%	57.6%	58.3%	58.4%
Persons															
0-59	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.03	0.03	0.03	0.02
60-64	0.19	0.19	0.20	0.20	0.21	0.22	0.23	0.24	0.26	0.26	0.27	0.30	0.26	0.23	0.23
65-69	0.27	0.27	0.27	0.28	0.29	0.30	0.31	0.32	0.33	0.34	0.35	0.46	0.48	0.42	0.39
70-74	0.57	0.57	0.57	0.57	0.56	0.56	0.57	0.58	0.60	0.62	0.65	0.97	1.07	0.96	0.84
75-79	0.82	0.84	0.84	0.85	0.87	0.87	0.87	0.88	0.88	0.88	0.88	1.22	1.63	1.72	1.54
80-84	1.05	1.09	1.13	1.19	1.24	1.28	1.32	1.33	1.36	1.38	1.39	1.70	2.63	2.95	2.70
85-89	0.97	1.02	1.06	1.08	1.08	1.11	1.16	1.23	1.30	1.36	1.41	1.64	2.39	3.28	3.54
90-94	0.52	0.56	0.58	0.63	0.68	0.73	0.76	0.80	0.81	0.82	0.86	1.28	1.68	2.69	3.14
95+	0.16	0.18	0.19	0.22	0.23	0.25	0.27	0.29	0.31	0.33	0.37	0.64	0.86	1.30	1.95
TOTAL P	4.58	4.75	4.89	5.06	5.19	5.35	5.53	5.70	5.87	6.03	6.21	8.24	11.02	13.58	14.34
% of Population	0.97%	1.01%	1.03%	1.06%	1.09%	1.13%	1.16%	1.20%	1.23%	1.26%	1.30%	1.73%	2.39%	3.15%	3.67%



TABLE 12 DEMENTIA PREVALENCE BY AGE & GENDER, NORTHERN TERRITORY, 2000-2050

NT ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
60-64	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.07	0.08	0.09
65-69	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.05	0.05	0.07	0.09	0.10	0.11
70-74	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.06	0.10	0.12	0.14	0.16
75-79	0.03	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.04	0.04	0.04	0.09	0.13	0.17	0.19
80-84	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.09	0.16	0.21	0.25
85-89	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.05	0.11	0.17	0.23
90-94	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.04	0.06	0.12	0.16
95+	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.05	0.08
TOTAL M	0.22	0.23	0.25	0.27	0.26	0.27	0.28	0.29	0.31	0.32	0.34	0.52	0.78	1.04	1.28
% of M Population	0.21%	0.23%	0.24%	0.26%	0.25%	0.26%	0.26%	0.27%	0.28%	0.29%	0.30%	0.43%	0.58%	0.71%	0.81%
% M of total Prev	49.7%	49.7%	50.2%	50.1%	50.0%	50.2%	50.0%	50.0%	50.1%	50.4%	50.7%	50.9%	49.6%	48.0%	47.6%
Female															
0-59	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
60-64	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.04	0.04	0.04
65-69	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.05	0.06	0.07	0.07
70-74	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.08	0.11	0.13	0.14
75-79	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.08	0.14	0.18	0.21
80-84	0.05	0.05	0.05	0.06	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.09	0.17	0.24	0.28
85-89	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.08	0.14	0.23	0.30
90-94	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.06	0.08	0.16	0.23
95+	0.01	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.03	0.04	0.07	0.13
TOTAL F	0.22	0.24	0.25	0.27	0.26	0.27	0.28	0.29	0.30	0.31	0.33	0.51	0.79	1.13	1.41
% of F Population	0.24%	0.25%	0.27%	0.29%	0.27%	0.28%	0.29%	0.29%	0.30%	0.31%	0.32%	0.44%	0.63%	0.83%	0.96%
% F of total Prev	50.3%	50.3%	49.8%	49.9%	50.0%	49.8%	50.0%	50.0%	49.9%	49.6%	49.3%	49.1%	50.4%	52.0%	52.4%
Persons															
0-59	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03
60-64	0.04	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.07	0.07	0.08	0.09	0.11	0.11	0.14
65-69	0.04	0.04	0.05	0.05	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.12	0.15	0.16	0.18
70-74	0.07	0.07	0.08	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.10	0.18	0.24	0.27	0.30
75-79	0.07	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.09	0.17	0.27	0.35	0.40
80-84	0.08	0.08	0.09	0.09	0.09	0.10	0.10	0.10	0.11	0.11	0.12	0.17	0.33	0.44	0.53
85-89	0.06	0.07	0.07	0.08	0.07	0.08	0.08	0.09	0.09	0.09	0.10	0.13	0.25	0.40	0.53
90-94	0.04	0.04	0.05	0.05	0.05	0.05	0.05	0.05	0.06	0.05	0.06	0.09	0.14	0.28	0.38
95+	0.02	0.03	0.03	0.03	0.03	0.03	0.02	0.03	0.03	0.03	0.03	0.05	0.07	0.12	0.21
TOTAL P	0.44	0.47	0.51	0.54	0.52	0.54	0.57	0.59	0.61	0.63	0.66	1.03	1.58	2.17	2.69
% of Population	0.23%	0.24%	0.25%	0.27%	0.26%	0.27%	0.28%	0.28%	0.29%	0.30%	0.31%	0.43%	0.60%	0.77%	0.88%



TABLE 13 DEMENTIA PREVALENCE BY AGE & GENDER, AUSTRALIAN CAPITAL TERRITORY, 2000-2050

ACT ('000)	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male															
0-59	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
60-64	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.10	0.11	0.11	0.11	0.11	0.12
65-69	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.09	0.09	0.10	0.10	0.14	0.15	0.16	0.16
70-74	0.11	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.14	0.15	0.26	0.27	0.29	0.29
75-79	0.14	0.15	0.15	0.16	0.16	0.16	0.17	0.17	0.17	0.17	0.18	0.28	0.39	0.44	0.47
80-84	0.14	0.16	0.18	0.19	0.21	0.22	0.23	0.23	0.24	0.25	0.26	0.36	0.65	0.71	0.77
85-89	0.09	0.10	0.11	0.12	0.13	0.14	0.16	0.18	0.20	0.21	0.23	0.31	0.53	0.75	0.89
90-94	0.04	0.05	0.05	0.06	0.07	0.07	0.08	0.09	0.09	0.10	0.11	0.23	0.36	0.66	0.77
95+	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.04	0.11	0.18	0.32	0.52
TOTAL M	0.68	0.73	0.77	0.82	0.86	0.91	0.97	1.02	1.07	1.13	1.18	1.81	2.65	3.46	4.01
% of M Population	0.44%	0.46%	0.48%	0.51%	0.53%	0.56%	0.59%	0.62%	0.64%	0.67%	0.70%	1.01%	1.42%	1.81%	2.09%
% M of total Prev	38.5%	38.7%	38.7%	39.0%	39.3%	39.5%	39.8%	40.1%	40.3%	40.6%	40.8%	42.2%	42.4%	41.8%	42.0%
Female															
0-59	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
60-64	0.03	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.07
65-69	0.05	0.05	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.08	0.08	0.12	0.12	0.13	0.13
70-74	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.14	0.15	0.15	0.16	0.28	0.31	0.32	0.32
75-79	0.20	0.21	0.21	0.22	0.22	0.22	0.21	0.22	0.22	0.22	0.23	0.36	0.52	0.58	0.60
80-84	0.25	0.27	0.28	0.31	0.33	0.34	0.35	0.36	0.36	0.37	0.37	0.49	0.86	0.97	1.00
85-89	0.24	0.26	0.27	0.28	0.30	0.31	0.33	0.36	0.38	0.40	0.42	0.50	0.81	1.18	1.34
90-94	0.13	0.15	0.17	0.18	0.19	0.21	0.22	0.23	0.24	0.25	0.26	0.41	0.57	1.03	1.21
95+	0.04	0.05	0.05	0.07	0.07	0.08	0.08	0.09	0.10	0.11	0.12	0.24	0.34	0.54	0.86
TOTAL F	1.08	1.16	1.22	1.29	1.34	1.40	1.46	1.53	1.59	1.65	1.71	2.48	3.61	4.81	5.54
% of F Population	0.68%	0.72%	0.75%	0.79%	0.81%	0.84%	0.87%	0.90%	0.93%	0.96%	0.99%	1.35%	1.87%	2.45%	2.81%
% F of total Prev	61.5%	61.3%	61.3%	61.0%	60.7%	60.5%	60.2%	59.9%	59.7%	59.4%	59.2%	57.8%	57.6%	58.2%	58.0%
Persons															
0-59	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03
60-64	0.09	0.10	0.10	0.11	0.11	0.12	0.13	0.14	0.15	0.16	0.16	0.17	0.17	0.17	0.19
65-69	0.12	0.12	0.13	0.13	0.14	0.14	0.15	0.16	0.17	0.17	0.18	0.25	0.28	0.29	0.29
70-74	0.24	0.24	0.24	0.24	0.24	0.25	0.26	0.27	0.28	0.30	0.31	0.54	0.58	0.60	0.61
75-79	0.34	0.36	0.36	0.37	0.38	0.38	0.38	0.38	0.39	0.39	0.40	0.64	0.91	1.02	1.07
80-84	0.39	0.43	0.46	0.50	0.54	0.57	0.58	0.59	0.61	0.62	0.63	0.85	1.51	1.68	1.77
85-89	0.33	0.36	0.38	0.40	0.42	0.45	0.50	0.54	0.58	0.62	0.65	0.81	1.33	1.93	2.23
90-94	0.17	0.19	0.22	0.23	0.25	0.28	0.30	0.32	0.34	0.35	0.37	0.64	0.93	1.69	1.98
95+	0.05	0.06	0.07	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.16	0.35	0.52	0.86	1.39
TOTAL P	1.76	1.89	1.99	2.10	2.20	2.31	2.43	2.55	2.66	2.78	2.90	4.29	6.26	8.27	9.55
% of Population	0.56%	0.59%	0.62%	0.65%	0.67%	0.70%	0.73%	0.76%	0.79%	0.82%	0.85%	1.18%	1.65%	2.13%	2.45%

3. INCIDENCE ESTIMATES AND PROJECTIONS

Incidence rates for dementia by age group over 60 and by gender are also estimated and reported by Jorm et al (in press) from meta-analysis (Wancata et al, 2003). As with prevalence, we averaged the rates from the source studies for each age-gender group and present the results in Table 14 below.

TABLE 14 META-ANALYSIS INCIDENCE RATES, BY 60+ AGE GROUP & GENDER (%)

Age Band	Jorm and Jolley (1998)	Gao et al (1998)	Launer et al (1999)	Fratiglioni (2000)		Average	
	F+M	F+M	F+M	F	M	F	M
60-64	-	0.11	-	-	-	0.1	0.1
65-69	0.91	0.33	0.2	0.25	0.24	0.4	0.4
70-74	1.76	0.84	0.49	0.47	0.64	0.9	0.9
75-79	3.33	1.82	1.62	1.75	1.37	2.1	2.0
80-84	5.99	3.36	2.97	3.41	2.76	3.9	3.8
85-89	10.41	5.33	5.36	5.38	3.88	6.6	6.2
90-94	17.98	7.29	9.14	8.17	4.01	10.6	9.6
95+	-	8.68	-	-	-	8.7	8.7

The table shows that incidence rises steadily with age, which of course underlies the same pattern in prevalence. An interesting but quite well correlated point is that in the oldest people, the 95+ group, the incidence rate appears to taper off a little, although this may be a result of small sample size.

As with prevalence, we have applied these incidence rates to the Australian population at risk (ie after subtracting prevalence) and similarly for State and Territory populations for the years 2001-2010 and then for each decade to 2050. The results for Australia and the States and Territories are presented in Sections 3.1 and 3.2 respectively. ABS (2003) provides details of the fertility, mortality and migration assumptions used in the population projections.

3.1 ESTIMATES AND PROJECTIONS, AUSTRALIA

In 2005 there are projected to be more nearly 52,000 new cases of dementia in Australia (Table 16), of which a quarter will be in people aged 80-84. An approximation of the average duration of dementia can be estimated by dividing prevalence by incidence, providing an estimate of 3.9 years overall, higher for people in their sixties than for those in older age groups, as the likelihood of dying (either from the underlying disease causing dementia or from something else) increases with age.

By 2050 there are projected to be over 175,000 new cases of dementia diagnosed every year, more than the total number of cases in Australia in 2000. Figures of this magnitude drive home the importance of giving priority to dementia research for cause, cure and care as recommended in Access Economics (2003).

The steady increase over the coming decades in the number of new cases of dementia is illustrated, relative to prevalence and by age and gender, in the Figures 7 and 8.



FIGURE 7 DEMENTIA INCIDENCE & PREVALENCE, BY GENDER ('000), 2001-2050





FIGURE 8 DEMENTIA INCIDENCE, BY AGE & GENDER ('000), 2005





3.2 ESTIMATES AND PROJECTIONS, STATES/TERRITORIES

The incidence trends for States and Territories mirror those for prevalence and for Australia as a whole (Tables 16-24). The 'older' states (ie, those with the oldest populations – South Australia, Tasmania, Victoria and New South Wales) have the highest incidence of dementia together with declining shares over 2001-2050 due to growth rates below the national average (nearly a fourfold increase). Table 15 provides greater detail, while Figure 9 depicts the shares in 2005, which are identical to those for prevalence.

TABLE 15 DEMENTIA INCIDENCE ('000), BY STATE/TERRITORY, 2001-2050

	NSW	VIC	QLD	SA	WA	TAS	NT	ACT	AUST
2001	16.1	11.8	7.8	4.3	3.9	1.2	0.1	0.5	45.7
2002	16.6	12.2	8.2	4.4	4.0	1.3	0.1	0.5	47.2
2003	17.1	12.6	8.5	4.5	4.2	1.3	0.1	0.5	48.9
2004	17.6	13.0	8.8	4.7	4.3	1.3	0.1	0.6	50.4
2005	18.1	13.4	9.2	4.8	4.5	1.4	0.1	0.6	52.0
2006	18.7	13.9	9.5	4.9	4.7	1.4	0.1	0.6	53.8
2007	19.2	14.3	9.9	5.1	4.8	1.4	0.1	0.6	55.5
2008	19.8	14.7	10.3	5.2	5.0	1.5	0.1	0.7	57.2
2009	20.3	15.1	10.7	5.3	5.2	1.5	0.2	0.7	58.8
2010	20.8	15.6	11.1	5.4	5.4	1.6	0.2	0.7	60.6
2020	27.3	20.8	16.4	6.9	7.9	2.1	0.3	1.1	82.5
2030	37.4	28.7	25.0	9.2	11.9	2.8	0.4	1.6	116.6
2040	48.0	37.2	34.3	11.3	16.1	3.4	0.5	2.0	152.4
2050	54.7	42.9	41.3	12.0	19.0	3.4	0.7	2.3	175.6
2000-50*	3.4	3.6	5.3	2.8	4.9	2.8	5.9	4.7	3.9
Growth rank*	6	5	2	7	3	8	1	4	
Share 2001	35.2%	25.9%	17.2%	9.3%	8.5%	2.7%	0.2%	1.1%	100.0%
Share 2050	31.2%	24.5%	23.5%	6.9%	10.8%	2.0%	0.4%	1.3%	100.0%
%pop'n 2001	0.24%	0.25%	0.22%	0.28%	0.20%	0.26%	0.06%	0.15%	0.24%
%pop'n 2050	0.66%	0.69%	0.65%	0.81%	0.66%	0.88%	0.22%	0.58%	0.67%

* 2000-50 is the prevalence in 2050 divided by the prevalence in 2000 (ie the factor of growth over the period). The *growth rank* ranks States/Territories according to the factor of growth from fastest (1) to slowest (8).

FIGURE 9 DEMENTIA INCIDENCE BY STATE/TERRITORY (% OF TOTAL), 2005






TABLE 16 DEMENTIA INCIDENCE BY AGE & GENDER, AUSTRALIA, 2001-2050

AUST ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.45	0.46	0.48	0.50	0.52	0.54	0.58	0.62	0.65	0.67	0.77	0.81	0.81	0.89
65-69	1.39	1.42	1.47	1.52	1.58	1.63	1.68	1.74	1.81	1.90	2.58	3.03	3.15	3.26
70-74	2.73	2.74	2.71	2.70	2.70	2.74	2.82	2.92	3.04	3.17	4.99	5.84	6.21	6.33
75-79	4.36	4.48	4.61	4.73	4.80	4.87	4.90	4.88	4.89	4.91	7.24	10.14	12.07	12.78
80-84	4.26	4.56	4.87	5.16	5.39	5.60	5.78	5.98	6.18	6.32	8.12	13.37	16.08	17.52
85-89	3.02	3.15	3.28	3.35	3.57	3.90	4.22	4.52	4.81	5.07	6.63	10.55	15.31	18.87
90-94	1.19	1.27	1.40	1.51	1.62	1.70	1.78	1.85	1.91	2.08	3.90	5.54	9.66	12.28
95+	0.24	0.27	0.31	0.32	0.35	0.37	0.40	0.44	0.48	0.52	1.13	1.81	3.08	4.99
TOTAL M	17.66	18.37	19.13	19.79	20.53	21.36	22.17	22.96	23.78	24.64	35.36	51.10	66.39	76.92
% of M Population	0.18%	0.19%	0.19%	0.20%	0.20%	0.21%	0.22%	0.22%	0.23%	0.23%	0.31%	0.42%	0.52%	0.59%
% M of total Inc	38.7%	38.9%	39.1%	39.3%	39.5%	39.7%	40.0%	40.2%	40.4%	40.6%	42.8%	43.8%	43.6%	43.8%
Female														
0-59	0.02	0.01	0.02	0.02	0.01	0.01	0.01	0.01	0.01	0.01	0.00	0.00	0.00	0.00
60-64	0.45	0.46	0.47	0.49	0.51	0.54	0.58	0.62	0.65	0.68	0.80	0.83	0.83	0.89
65-69	1.45	1.48	1.52	1.57	1.62	1.67	1.71	1.76	1.84	1.92	2.74	3.17	3.30	3.35
70-74	2.88	2.86	2.83	2.80	2.81	2.83	2.90	2.99	3.10	3.20	5.02	5.96	6.24	6.23
75-79	5.83	5.88	5.95	6.02	6.01	6.04	6.01	5.96	5.93	5.95	8.20	11.83	13.77	14.42
80-84	6.94	7.27	7.62	7.95	8.20	8.34	8.44	8.58	8.72	8.74	10.23	16.41	19.74	20.89
85-89	6.28	6.45	6.57	6.63	6.87	7.35	7.78	8.19	8.56	8.88	9.91	14.27	20.95	24.84
90-94	3.45	3.65	3.89	4.14	4.38	4.53	4.68	4.79	4.87	5.12	7.67	9.60	15.99	19.85
95+	0.72	0.78	0.87	0.95	1.03	1.11	1.20	1.29	1.39	1.49	2.63	3.47	5.17	8.17
TOTAL F	28.01	28.86	29.74	30.57	31.44	32.42	33.32	34.19	35.06	35.99	47.19	65.54	85.98	98.63
% of F Population	0.29%	0.29%	0.30%	0.30%	0.31%	0.31%	0.32%	0.32%	0.33%	0.34%	0.40%	0.53%	0.66%	0.74%
% F of total Inc	61.3%	61.1%	60.9%	60.7%	60.5%	60.3%	60.0%	59.8%	59.6%	59.4%	57.2%	56.2%	56.4%	56.2%
Persons														
0-59	0.03	0.02	0.03	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.00	0.00	0.00	0.00
60-64	0.90	0.92	0.95	0.99	1.03	1.08	1.17	1.24	1.29	1.34	1.56	1.64	1.64	1.78
65-69	2.83	2.91	2.99	3.10	3.21	3.29	3.40	3.50	3.65	3.82	5.33	6.19	6.45	6.61
70-74	5.61	5.60	5.54	5.50	5.50	5.57	5.72	5.92	6.14	6.37	10.01	11.81	12.45	12.56
75-79	10.19	10.36	10.55	10.74	10.82	10.91	10.91	10.85	10.82	10.86	15.44	21.97	25.84	27.19
80-84	11.20	11.83	12.50	13.11	13.59	13.94	14.22	14.56	14.90	15.06	18.34	29.78	35.83	38.41
85-89	9.30	9.60	9.85	9.98	10.44	11.25	12.00	12.71	13.38	13.95	16.54	24.82	36.25	43.71
90-94	4.63	4.92	5.29	5.65	6.00	6.23	6.46	6.64	6.79	7.20	11.56	15.14	25.66	32.13
95+	0.96	1.05	1.18	1.27	1.37	1.48	1.60	1.73	1.86	2.01	3.75	5.28	8.25	13.16
TOTAL P	45.67	47.23	48.87	50.36	51.98	53.78	55.49	57.15	58.84	60.62	82.54	116.64	152.37	175.56
% of Population	0.24%	0.24%	0.25%	0.25%	0.26%	0.26%	0.27%	0.27%	0.28%	0.28%	0.36%	0.47%	0.59%	0.67%



TABLE 17 DEMENTIA INCIDENCE BY AGE & GENDER, NEW SOUTH WALES, 2001-2050

NSW ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.15	0.16	0.16	0.17	0.18	0.18	0.20	0.21	0.21	0.22	0.25	0.26	0.26	0.28
65-69	0.48	0.49	0.50	0.52	0.54	0.55	0.57	0.58	0.61	0.63	0.84	0.98	1.02	1.04
70-74	0.96	0.96	0.95	0.94	0.93	0.94	0.97	1.00	1.03	1.07	1.63	1.89	1.98	2.03
75-79	1.54	1.57	1.61	1.65	1.67	1.69	1.69	1.68	1.68	1.67	2.38	3.26	3.87	4.08
80-84	1.52	1.62	1.72	1.81	1.89	1.95	2.00	2.06	2.13	2.17	2.68	4.27	5.09	5.48
85-89	1.04	1.10	1.14	1.18	1.25	1.37	1.47	1.57	1.66	1.75	2.20	3.38	4.79	5.89
90-94	0.39	0.43	0.48	0.51	0.55	0.58	0.61	0.63	0.66	0.71	1.29	1.77	2.99	3.76
95+	0.08	0.09	0.10	0.11	0.11	0.12	0.13	0.15	0.16	0.17	0.37	0.58	0.95	1.50
TOTAL M	6.18	6.42	6.67	6.88	7.12	7.38	7.64	7.89	8.14	8.40	11.64	16.38	20.96	24.06
% of M Population	0.19%	0.19%	0.20%	0.21%	0.21%	0.22%	0.22%	0.23%	0.23%	0.24%	0.31%	0.41%	0.51%	0.58%
% M of total Inc	38.4%	38.6%	38.9%	39.1%	39.3%	39.5%	39.7%	39.9%	40.1%	40.4%	42.6%	43.8%	43.7%	44.0%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.15	0.16	0.16	0.17	0.17	0.18	0.19	0.21	0.21	0.22	0.26	0.26	0.26	0.28
65-69	0.51	0.52	0.53	0.54	0.56	0.57	0.58	0.59	0.62	0.64	0.89	1.01	1.05	1.05
70-74	1.02	1.01	0.99	0.98	0.98	0.98	1.00	1.03	1.06	1.08	1.62	1.91	1.96	1.97
75-79	2.07	2.08	2.10	2.12	2.11	2.12	2.10	2.07	2.05	2.05	2.70	3.77	4.35	4.54
80-84	2.48	2.59	2.69	2.80	2.89	2.92	2.95	2.99	3.03	3.03	3.39	5.22	6.22	6.45
85-89	2.20	2.28	2.34	2.37	2.44	2.60	2.74	2.86	2.98	3.09	3.33	4.61	6.57	7.72
90-94	1.21	1.28	1.36	1.43	1.52	1.57	1.63	1.68	1.72	1.79	2.59	3.11	4.99	6.14
95+	0.25	0.27	0.30	0.33	0.36	0.39	0.41	0.44	0.47	0.51	0.89	1.14	1.63	2.50
TOTAL F	9.90	10.20	10.47	10.74	11.01	11.32	11.61	11.88	12.14	12.41	15.67	21.04	27.02	30.63
% of F Population	0.30%	0.31%	0.31%	0.32%	0.32%	0.33%	0.33%	0.34%	0.34%	0.35%	0.41%	0.52%	0.65%	0.73%
% F of total Inc	61.6%	61.4%	61.1%	60.9%	60.7%	60.5%	60.3%	60.1%	59.9%	59.6%	57.4%	56.2%	56.3%	56.0%
Persons														
0-59	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.31	0.31	0.32	0.33	0.35	0.36	0.39	0.41	0.43	0.44	0.51	0.52	0.53	0.56
65-69	0.99	1.01	1.03	1.06	1.09	1.12	1.14	1.17	1.22	1.28	1.73	2.00	2.07	2.09
70-74	1.98	1.98	1.94	1.92	1.91	1.92	1.97	2.02	2.09	2.16	3.25	3.80	3.94	3.99
75-79	3.61	3.65	3.71	3.77	3.78	3.80	3.80	3.76	3.72	3.72	5.08	7.03	8.22	8.62
80-84	4.00	4.21	4.41	4.61	4.78	4.87	4.95	5.05	5.16	5.19	6.07	9.50	11.31	11.94
85-89	3.25	3.38	3.48	3.54	3.69	3.97	4.21	4.43	4.65	4.84	5.53	7.98	11.36	13.61
90-94	1.60	1.71	1.83	1.94	2.06	2.15	2.24	2.32	2.38	2.50	3.88	4.88	7.98	9.90
95+	0.33	0.36	0.41	0.44	0.47	0.51	0.55	0.59	0.63	0.68	1.26	1.71	2.58	4.00
TOTAL P	16.08	16.62	17.14	17.62	18.13	18.71	19.24	19.76	20.28	20.81	27.31	37.42	47.98	54.70
% of Population	0.24%	0.25%	0.26%	0.26%	0.27%	0.27%	0.28%	0.28%	0.29%	0.29%	0.36%	0.47%	0.58%	0.66%



TABLE 18 DEMENTIA INCIDENCE BY AGE & GENDER, VICTORIA, 2001-2050

VIC ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.11	0.11	0.12	0.12	0.13	0.13	0.14	0.15	0.15	0.16	0.18	0.19	0.19	0.20
65-69	0.35	0.36	0.36	0.38	0.39	0.40	0.41	0.42	0.43	0.45	0.61	0.71	0.73	0.75
70-74	0.70	0.69	0.68	0.68	0.68	0.69	0.70	0.73	0.75	0.78	1.18	1.37	1.46	1.47
75-79	1.11	1.14	1.18	1.20	1.23	1.24	1.25	1.24	1.24	1.24	1.74	2.40	2.84	3.00
80-84	1.07	1.15	1.23	1.31	1.37	1.43	1.48	1.53	1.58	1.62	2.01	3.19	3.83	4.18
85-89	0.79	0.81	0.83	0.84	0.90	0.98	1.07	1.15	1.23	1.30	1.70	2.57	3.68	4.51
90-94	0.32	0.34	0.37	0.40	0.42	0.44	0.46	0.47	0.48	0.53	1.02	1.39	2.35	2.99
95+	0.11	0.12	0.14	0.14	0.15	0.16	0.18	0.19	0.21	0.22	0.47	0.76	1.24	1.99
TOTAL M	4.55	4.72	4.91	5.08	5.27	5.48	5.69	5.88	6.09	6.30	8.90	12.58	16.33	19.10
% of M Population	0.19%	0.20%	0.20%	0.21%	0.21%	0.22%	0.23%	0.23%	0.24%	0.24%	0.32%	0.43%	0.54%	0.62%
% M of total Inc	38.5%	38.7%	39.0%	39.1%	39.3%	39.6%	39.8%	40.0%	40.3%	40.5%	42.7%	43.8%	43.9%	44.5%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.11	0.11	0.12	0.12	0.13	0.13	0.14	0.15	0.16	0.16	0.19	0.20	0.19	0.21
65-69	0.37	0.38	0.39	0.40	0.41	0.42	0.43	0.44	0.45	0.47	0.66	0.75	0.78	0.78
70-74	0.75	0.74	0.73	0.72	0.72	0.73	0.74	0.76	0.79	0.81	1.22	1.43	1.51	1.47
75-79	1.52	1.54	1.55	1.57	1.56	1.57	1.55	1.54	1.53	1.53	2.01	2.86	3.29	3.44
80-84	1.78	1.86	1.96	2.06	2.13	2.18	2.21	2.24	2.28	2.28	2.60	4.03	4.76	5.09
85-89	1.64	1.67	1.68	1.68	1.75	1.88	2.00	2.12	2.23	2.31	2.57	3.53	5.11	6.00
90-94	0.92	0.97	1.02	1.09	1.14	1.18	1.20	1.22	1.24	1.31	2.01	2.45	3.95	4.83
95+	0.19	0.21	0.24	0.25	0.27	0.29	0.32	0.34	0.36	0.39	0.68	0.91	1.30	2.02
TOTAL F	7.28	7.48	7.69	7.90	8.12	8.37	8.59	8.81	9.03	9.27	11.94	16.15	20.90	23.84
% of F Population	0.30%	0.30%	0.31%	0.31%	0.32%	0.33%	0.33%	0.34%	0.34%	0.35%	0.42%	0.54%	0.67%	0.76%
% F of total Inc	61.5%	61.3%	61.0%	60.9%	60.7%	60.4%	60.2%	60.0%	59.7%	59.5%	57.3%	56.2%	56.1%	55.5%
Persons														
0-59	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.22	0.23	0.23	0.24	0.25	0.26	0.28	0.30	0.31	0.32	0.37	0.39	0.38	0.41
65-69	0.72	0.74	0.75	0.78	0.80	0.81	0.84	0.86	0.89	0.92	1.26	1.46	1.52	1.53
70-74	1.44	1.43	1.41	1.41	1.40	1.42	1.45	1.49	1.54	1.59	2.40	2.80	2.97	2.94
75-79	2.63	2.68	2.72	2.77	2.79	2.81	2.80	2.78	2.78	2.78	3.75	5.25	6.13	6.44
80-84	2.85	3.01	3.19	3.37	3.50	3.61	3.69	3.78	3.86	3.90	4.61	7.22	8.60	9.27
85-89	2.43	2.48	2.52	2.52	2.65	2.86	3.07	3.27	3.46	3.61	4.27	6.10	8.78	10.52
90-94	1.24	1.31	1.40	1.49	1.57	1.62	1.66	1.69	1.72	1.84	3.02	3.84	6.30	7.81
95+	0.30	0.33	0.37	0.39	0.42	0.46	0.49	0.53	0.57	0.61	1.16	1.67	2.54	4.01
TOTAL P	11.83	12.21	12.60	12.98	13.39	13.85	14.28	14.70	15.12	15.57	20.84	28.73	37.23	42.94
% of Population	0.25%	0.25%	0.26%	0.26%	0.27%	0.27%	0.28%	0.29%	0.29%	0.30%	0.37%	0.48%	0.61%	0.69%



TABLE 19 DEMENTIA INCIDENCE BY AGE & GENDER, QUEENSLAND, 2001-2050

QLD ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.08	0.09	0.09	0.10	0.10	0.11	0.12	0.13	0.13	0.14	0.16	0.18	0.19	0.22
65-69	0.25	0.26	0.28	0.29	0.31	0.32	0.34	0.35	0.37	0.39	0.55	0.68	0.74	0.80
70-74	0.48	0.49	0.49	0.49	0.50	0.51	0.53	0.56	0.59	0.63	1.07	1.30	1.44	1.53
75-79	0.77	0.79	0.81	0.84	0.86	0.88	0.89	0.90	0.91	0.92	1.53	2.23	2.75	3.05
80-84	0.77	0.82	0.87	0.92	0.96	1.00	1.04	1.08	1.12	1.15	1.65	2.92	3.62	4.12
85-89	0.53	0.56	0.59	0.61	0.66	0.72	0.77	0.83	0.88	0.92	1.29	2.28	3.43	4.39
90-94	0.21	0.22	0.25	0.27	0.29	0.31	0.33	0.35	0.36	0.39	0.74	1.16	2.16	2.83
95+	0.04	0.05	0.05	0.06	0.06	0.07	0.07	0.08	0.09	0.10	0.22	0.37	0.68	1.15
TOTAL M	3.13	3.28	3.45	3.58	3.74	3.91	4.09	4.26	4.44	4.64	7.21	11.11	15.02	18.09
% of M Population	0.17%	0.18%	0.18%	0.19%	0.19%	0.20%	0.20%	0.21%	0.21%	0.22%	0.30%	0.41%	0.51%	0.57%
% M of total Inc	40.0%	40.2%	40.5%	40.6%	40.8%	41.0%	41.3%	41.5%	41.7%	41.9%	44.0%	44.5%	43.8%	43.8%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.08	0.09	0.09	0.09	0.10	0.11	0.12	0.12	0.13	0.14	0.17	0.19	0.20	0.22
65-69	0.25	0.26	0.27	0.29	0.30	0.31	0.33	0.34	0.36	0.39	0.58	0.72	0.79	0.83
70-74	0.49	0.49	0.49	0.49	0.50	0.50	0.52	0.55	0.57	0.60	1.06	1.32	1.46	1.54
75-79	0.98	0.99	1.01	1.03	1.04	1.05	1.06	1.06	1.06	1.07	1.69	2.57	3.17	3.49
80-84	1.18	1.24	1.30	1.35	1.40	1.43	1.45	1.48	1.52	1.53	1.98	3.50	4.43	4.95
85-89	1.04	1.08	1.12	1.14	1.19	1.27	1.35	1.41	1.47	1.53	1.83	2.98	4.61	5.79
90-94	0.56	0.59	0.64	0.70	0.74	0.77	0.80	0.83	0.85	0.90	1.39	1.91	3.47	4.53
95+	0.11	0.12	0.14	0.15	0.17	0.18	0.20	0.22	0.24	0.26	0.47	0.66	1.09	1.82
TOTAL F	4.70	4.87	5.07	5.25	5.43	5.63	5.82	6.01	6.21	6.42	9.16	13.85	19.24	23.18
% of F Population	0.26%	0.26%	0.27%	0.27%	0.27%	0.28%	0.28%	0.29%	0.29%	0.30%	0.37%	0.49%	0.63%	0.72%
% F of total Inc	60.0%	59.8%	59.5%	59.4%	59.2%	59.0%	58.7%	58.5%	58.3%	58.1%	56.0%	55.5%	56.2%	56.2%
Persons														
0-59	0.01	0.01	0.01	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.17	0.17	0.18	0.19	0.20	0.22	0.23	0.25	0.26	0.27	0.33	0.37	0.39	0.44
65-69	0.50	0.52	0.55	0.58	0.61	0.63	0.66	0.69	0.73	0.78	1.14	1.40	1.53	1.63
70-74	0.97	0.98	0.98	0.98	0.99	1.02	1.06	1.11	1.17	1.23	2.13	2.62	2.90	3.07
75-79	1.74	1.78	1.83	1.87	1.90	1.93	1.95	1.95	1.96	1.99	3.22	4.80	5.93	6.55
80-84	1.94	2.06	2.17	2.27	2.36	2.43	2.48	2.56	2.63	2.68	3.62	6.42	8.06	9.07
85-89	1.57	1.64	1.71	1.75	1.84	1.99	2.12	2.24	2.35	2.46	3.12	5.27	8.04	10.17
90-94	0.77	0.82	0.89	0.97	1.03	1.08	1.13	1.18	1.21	1.29	2.13	3.07	5.64	7.36
95+	0.16	0.17	0.19	0.21	0.23	0.25	0.27	0.30	0.33	0.35	0.69	1.02	1.77	2.97
TOTAL P	7.83	8.16	8.52	8.83	9.17	9.54	9.91	10.28	10.65	11.06	16.37	24.96	34.26	41.27
% of Population	0.22%	0.22%	0.22%	0.23%	0.23%	0.24%	0.24%	0.25%	0.25%	0.26%	0.33%	0.45%	0.57%	0.65%



TABLE 20 DEMENTIA INCIDENCE BY AGE & GENDER, SOUTH AUSTRALIA, 2001-2050

SA ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.05	0.05	0.05
65-69	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.14	0.14	0.15	0.20	0.21	0.20	0.19
70-74	0.24	0.24	0.23	0.23	0.23	0.23	0.24	0.24	0.25	0.26	0.39	0.43	0.42	0.39
75-79	0.40	0.41	0.42	0.43	0.44	0.43	0.43	0.42	0.42	0.41	0.57	0.77	0.86	0.81
80-84	0.41	0.43	0.45	0.48	0.50	0.51	0.53	0.55	0.56	0.57	0.66	1.05	1.18	1.18
85-89	0.29	0.29	0.31	0.32	0.34	0.37	0.39	0.42	0.44	0.46	0.55	0.82	1.15	1.33
90-94	0.11	0.12	0.13	0.14	0.15	0.16	0.17	0.17	0.18	0.19	0.35	0.44	0.74	0.88
95+	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.10	0.15	0.23	0.37
TOTAL M	1.62	1.67	1.74	1.79	1.85	1.91	1.97	2.03	2.09	2.15	2.87	3.93	4.84	5.20
% of M Population	0.22%	0.22%	0.23%	0.24%	0.24%	0.25%	0.26%	0.26%	0.27%	0.28%	0.36%	0.50%	0.63%	0.71%
% M of total Inc	38.0%	38.2%	38.4%	38.5%	38.7%	38.8%	39.0%	39.1%	39.4%	39.6%	41.6%	42.8%	42.8%	43.2%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.06	0.05	0.05
65-69	0.12	0.13	0.13	0.13	0.14	0.14	0.14	0.14	0.15	0.16	0.21	0.22	0.21	0.20
70-74	0.26	0.26	0.25	0.25	0.24	0.24	0.25	0.25	0.26	0.27	0.40	0.44	0.42	0.38
75-79	0.55	0.56	0.56	0.56	0.55	0.55	0.54	0.53	0.52	0.52	0.66	0.91	0.98	0.91
80-84	0.66	0.69	0.73	0.76	0.78	0.79	0.80	0.80	0.81	0.80	0.86	1.33	1.47	1.41
85-89	0.61	0.62	0.63	0.63	0.65	0.70	0.75	0.79	0.82	0.85	0.86	1.16	1.62	1.77
90-94	0.33	0.35	0.38	0.40	0.43	0.44	0.45	0.46	0.47	0.49	0.71	0.81	1.30	1.49
95+	0.07	0.08	0.08	0.09	0.10	0.11	0.12	0.13	0.14	0.15	0.25	0.31	0.43	0.64
TOTAL F	2.65	2.71	2.79	2.86	2.93	3.01	3.08	3.15	3.21	3.28	4.02	5.24	6.47	6.84
% of F Population	0.35%	0.35%	0.36%	0.37%	0.38%	0.39%	0.39%	0.40%	0.41%	0.42%	0.50%	0.65%	0.82%	0.92%
% F of total Inc	62.0%	61.8%	61.6%	61.5%	61.3%	61.2%	61.0%	60.9%	60.6%	60.4%	58.4%	57.2%	57.2%	56.8%
Persons														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.07	0.08	0.08	0.08	0.08	0.09	0.09	0.10	0.10	0.11	0.12	0.11	0.10	0.10
65-69	0.24	0.25	0.25	0.26	0.26	0.27	0.27	0.28	0.29	0.30	0.41	0.44	0.41	0.39
70-74	0.51	0.49	0.48	0.48	0.47	0.47	0.48	0.49	0.51	0.52	0.79	0.87	0.84	0.76
75-79	0.96	0.97	0.98	0.99	0.99	0.98	0.97	0.95	0.94	0.93	1.23	1.68	1.84	1.73
80-84	1.07	1.12	1.18	1.24	1.28	1.31	1.33	1.35	1.38	1.38	1.52	2.37	2.66	2.59
85-89	0.89	0.91	0.94	0.95	0.99	1.07	1.14	1.20	1.26	1.31	1.42	1.98	2.77	3.09
90-94	0.44	0.47	0.52	0.55	0.58	0.60	0.61	0.63	0.64	0.68	1.05	1.25	2.04	2.37
95+	0.09	0.10	0.11	0.12	0.13	0.14	0.15	0.17	0.18	0.19	0.35	0.46	0.66	1.01
TOTAL P	4.27	4.39	4.53	4.65	4.78	4.92	5.05	5.18	5.30	5.43	6.89	9.17	11.31	12.05
% of Population	0.28%	0.29%	0.30%	0.30%	0.31%	0.32%	0.33%	0.33%	0.34%	0.35%	0.43%	0.57%	0.73%	0.81%



TABLE 21 DEMENTIA INCIDENCE BY AGE & GENDER, WESTERN AUSTRALIA, 2001-2050

WA ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.07	0.08	0.09	0.09	0.10
65-69	0.13	0.13	0.14	0.14	0.15	0.16	0.16	0.17	0.18	0.18	0.27	0.32	0.34	0.36
70-74	0.24	0.24	0.24	0.24	0.25	0.25	0.26	0.27	0.29	0.30	0.51	0.62	0.67	0.69
75-79	0.37	0.38	0.39	0.41	0.42	0.43	0.44	0.44	0.44	0.45	0.71	1.07	1.29	1.38
80-84	0.34	0.37	0.41	0.44	0.46	0.48	0.50	0.52	0.54	0.56	0.79	1.39	1.72	1.92
85-89	0.26	0.26	0.27	0.27	0.29	0.32	0.35	0.38	0.42	0.44	0.63	1.07	1.65	2.07
90-94	0.11	0.11	0.12	0.13	0.14	0.15	0.15	0.16	0.16	0.18	0.36	0.56	1.05	1.36
95+	0.02	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.10	0.18	0.33	0.56
TOTAL M	1.50	1.58	1.65	1.71	1.79	1.87	1.96	2.04	2.13	2.23	3.45	5.30	7.14	8.44
% of M Population	0.16%	0.16%	0.17%	0.17%	0.18%	0.18%	0.19%	0.20%	0.20%	0.21%	0.29%	0.41%	0.52%	0.59%
% M of total Inc	38.9%	39.3%	39.5%	39.7%	39.9%	40.2%	40.5%	40.8%	41.1%	41.3%	43.6%	44.6%	44.3%	44.5%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.06	0.07	0.08	0.09	0.09	0.10
65-69	0.13	0.14	0.14	0.15	0.15	0.16	0.16	0.17	0.17	0.18	0.28	0.33	0.34	0.36
70-74	0.25	0.25	0.25	0.25	0.25	0.26	0.27	0.28	0.29	0.30	0.49	0.61	0.65	0.66
75-79	0.47	0.48	0.49	0.51	0.51	0.52	0.52	0.53	0.53	0.54	0.79	1.22	1.43	1.51
80-84	0.56	0.59	0.63	0.66	0.68	0.69	0.71	0.72	0.74	0.76	0.98	1.64	2.07	2.22
85-89	0.55	0.55	0.54	0.54	0.57	0.60	0.65	0.69	0.72	0.75	0.92	1.40	2.22	2.65
90-94	0.30	0.32	0.34	0.37	0.39	0.41	0.41	0.41	0.41	0.44	0.69	0.95	1.66	2.15
95+	0.06	0.07	0.08	0.09	0.09	0.10	0.11	0.12	0.13	0.14	0.23	0.33	0.53	0.90
TOTAL F	2.37	2.44	2.52	2.60	2.69	2.79	2.88	2.97	3.06	3.16	4.47	6.58	8.99	10.53
% of F Population	0.25%	0.25%	0.26%	0.26%	0.27%	0.27%	0.28%	0.28%	0.29%	0.30%	0.38%	0.51%	0.65%	0.74%
% F of total Inc	61.1%	60.7%	60.5%	60.3%	60.1%	59.8%	59.5%	59.2%	58.9%	58.7%	56.4%	55.4%	55.7%	55.5%
Persons														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.08	0.09	0.09	0.09	0.10	0.10	0.11	0.12	0.13	0.13	0.16	0.17	0.17	0.20
65-69	0.26	0.26	0.28	0.29	0.30	0.31	0.32	0.33	0.35	0.37	0.55	0.65	0.68	0.72
70-74	0.48	0.49	0.49	0.49	0.50	0.51	0.52	0.55	0.58	0.60	1.00	1.23	1.32	1.35
75-79	0.84	0.87	0.89	0.91	0.93	0.95	0.96	0.97	0.97	0.99	1.50	2.29	2.72	2.89
80-84	0.90	0.97	1.04	1.09	1.14	1.17	1.21	1.24	1.28	1.31	1.77	3.04	3.79	4.14
85-89	0.80	0.81	0.81	0.82	0.86	0.93	1.00	1.07	1.14	1.19	1.55	2.48	3.87	4.71
90-94	0.41	0.43	0.47	0.50	0.53	0.55	0.56	0.56	0.57	0.61	1.05	1.51	2.71	3.51
95+	0.09	0.10	0.11	0.12	0.13	0.14	0.15	0.16	0.17	0.18	0.34	0.51	0.86	1.46
TOTAL P	3.87	4.02	4.17	4.31	4.48	4.66	4.83	5.01	5.19	5.39	7.92	11.88	16.12	18.97
% of Population	0.20%	0.21%	0.21%	0.22%	0.22%	0.23%	0.23%	0.24%	0.25%	0.25%	0.33%	0.46%	0.58%	0.66%



TABLE 22 DEMENTIA INCIDENCE BY AGE & GENDER, TASMANIA, 2001-2050

TAS ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64		0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.01
65-69		0.04	0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.06	0.07	0.06
70-74		0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.08	0.08	0.08	0.12	0.14	0.12
75-79		0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.13	0.13	0.13	0.19	0.24	0.26
80-84		0.11	0.12	0.12	0.13	0.14	0.15	0.15	0.16	0.16	0.21	0.32	0.36	0.34
85-89		0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.11	0.12	0.17	0.26	0.35	0.38
90-94		0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.05	0.05	0.09	0.13	0.21	0.25
95+		0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.04	0.06	0.10
TOTAL M		0.47	0.48	0.50	0.51	0.53	0.55	0.57	0.59	0.61	0.63	0.88	1.21	1.44
% of M Population		0.20%	0.21%	0.21%	0.22%	0.23%	0.23%	0.24%	0.25%	0.26%	0.27%	0.38%	0.53%	0.68%
% M of total Inc		38.4%	38.5%	38.7%	38.9%	39.1%	39.3%	39.5%	39.8%	40.0%	40.3%	42.7%	43.5%	43.0%
Female														
0-59	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64		0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.01	0.01
65-69		0.04	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.07	0.07	0.06	0.06
70-74		0.08	0.08	0.08	0.07	0.07	0.07	0.08	0.08	0.08	0.13	0.14	0.13	0.11
75-79		0.16	0.15	0.16	0.16	0.16	0.16	0.16	0.16	0.16	0.21	0.29	0.30	0.27
80-84		0.19	0.20	0.20	0.21	0.22	0.22	0.22	0.22	0.22	0.26	0.40	0.45	0.41
85-89		0.17	0.18	0.18	0.18	0.19	0.20	0.21	0.21	0.22	0.23	0.25	0.35	0.48
90-94		0.09	0.09	0.10	0.11	0.11	0.12	0.13	0.13	0.13	0.18	0.23	0.36	0.42
95+		0.02	0.02	0.02	0.02	0.03	0.03	0.03	0.03	0.04	0.06	0.08	0.11	0.16
TOTAL F		0.75	0.77	0.79	0.81	0.83	0.85	0.87	0.89	0.91	0.93	1.18	1.57	1.91
% of F Population		0.31%	0.32%	0.33%	0.34%	0.34%	0.35%	0.36%	0.37%	0.38%	0.38%	0.49%	0.67%	0.87%
% F of total Inc		61.6%	61.5%	61.3%	61.1%	60.9%	60.7%	60.5%	60.2%	60.0%	59.7%	57.3%	56.5%	57.0%
Persons														
0-59	-	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64		0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.03	0.03	0.03
65-69		0.08	0.08	0.08	0.08	0.09	0.09	0.09	0.09	0.10	0.10	0.13	0.14	0.11
70-74		0.15	0.15	0.15	0.15	0.15	0.15	0.15	0.16	0.16	0.17	0.25	0.28	0.22
75-79		0.27	0.27	0.28	0.28	0.28	0.28	0.29	0.29	0.29	0.40	0.53	0.56	0.50
80-84		0.30	0.31	0.33	0.34	0.35	0.37	0.37	0.38	0.39	0.47	0.73	0.82	0.75
85-89		0.26	0.26	0.27	0.27	0.28	0.29	0.31	0.33	0.34	0.42	0.61	0.83	0.90
90-94		0.12	0.12	0.13	0.14	0.16	0.16	0.17	0.17	0.18	0.27	0.36	0.57	0.67
95+		0.02	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.05	0.08	0.11	0.17	0.26
TOTAL P		1.22	1.25	1.29	1.32	1.36	1.40	1.44	1.48	1.52	1.56	2.06	2.78	3.35
% of Population		0.26%	0.26%	0.27%	0.28%	0.29%	0.29%	0.30%	0.31%	0.32%	0.33%	0.43%	0.60%	0.88%



TABLE 23 DEMENTIA INCIDENCE BY AGE & GENDER, NORTHERN TERRITORY, 2001-2050

NT ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01	0.01
65-69	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.03
70-74	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.03	0.04	0.04
75-79	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.01	0.01	0.01	0.03	0.04	0.06	0.06
80-84	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.05	0.06	0.07
85-89	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.05	0.06
90-94	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.03	0.03
95+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01
TOTAL M	0.05	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07	0.08	0.13	0.20	0.26	0.32
% of M Population	0.05%	0.06%	0.06%	0.06%	0.06%	0.06%	0.06%	0.07%	0.07%	0.07%	0.10%	0.14%	0.18%	0.20%
% M of total Inc	47.6%	48.2%	48.2%	48.2%	48.5%	48.4%	48.5%	48.6%	48.9%	49.2%	50.0%	49.1%	48.0%	47.8%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.01	0.01
65-69	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02
70-74	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.03	0.04
75-79	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.03	0.04	0.06	0.07
80-84	0.01	0.01	0.02	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.05	0.06	0.08
85-89	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.06	0.07
90-94	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.05
95+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02
TOTAL F	0.06	0.06	0.07	0.06	0.07	0.07	0.07	0.08	0.08	0.08	0.13	0.20	0.28	0.35
% of F Population	0.06%	0.07%	0.07%	0.07%	0.07%	0.07%	0.07%	0.07%	0.08%	0.08%	0.11%	0.16%	0.21%	0.24%
% F of total Inc	52.4%	51.8%	51.8%	51.8%	51.5%	51.6%	51.5%	51.4%	51.1%	50.8%	50.0%	50.9%	52.0%	52.2%
Persons														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02
65-69	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.04	0.05	0.05
70-74	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.05	0.06	0.07	0.08
75-79	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.06	0.09	0.11	0.13
80-84	0.02	0.02	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.05	0.09	0.12	0.15
85-89	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.06	0.10	0.14
90-94	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.06	0.08
95+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.01	0.02	0.03
TOTAL P	0.11	0.12	0.13	0.12	0.13	0.14	0.14	0.15	0.15	0.16	0.26	0.40	0.55	0.67
% of Population	0.06%	0.06%	0.06%	0.06%	0.06%	0.07%	0.07%	0.07%	0.07%	0.07%	0.11%	0.15%	0.19%	0.22%



TABLE 24 DEMENTIA INCIDENCE BY AGE & GENDER, AUSTRALIAN CAPITAL TERRITORY, 2001-2050

ACT ('000)	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2020	2030	2040	2050
Male														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
65-69	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.04	0.04	0.04
70-74	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.07	0.07	0.07	0.08
75-79	0.05	0.05	0.05	0.05	0.05	0.06	0.06	0.06	0.06	0.06	0.09	0.13	0.15	0.16
80-84	0.04	0.05	0.05	0.06	0.06	0.07	0.07	0.07	0.07	0.07	0.10	0.18	0.20	0.22
85-89	0.03	0.03	0.03	0.03	0.04	0.04	0.05	0.05	0.06	0.06	0.08	0.14	0.21	0.24
90-94	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.05	0.08	0.14	0.16
95+	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.01	0.02	0.03	0.05	0.07
TOTAL M	0.19	0.20	0.21	0.22	0.23	0.25	0.26	0.27	0.28	0.30	0.46	0.68	0.86	0.98
% of M Population	0.12%	0.12%	0.13%	0.14%	0.14%	0.15%	0.16%	0.16%	0.17%	0.18%	0.25%	0.36%	0.45%	0.51%
% M of total Inc	38.7%	38.7%	39.1%	39.4%	39.7%	40.1%	40.3%	40.6%	40.8%	41.1%	42.7%	43.1%	42.7%	43.1%
Female														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01
65-69	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.03	0.03	0.04	0.04	0.04	0.04
70-74	0.03	0.03	0.03	0.03	0.03	0.03	0.04	0.04	0.04	0.04	0.07	0.08	0.08	0.08
75-79	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.07	0.12	0.17	0.18	0.19
80-84	0.07	0.08	0.08	0.09	0.09	0.10	0.10	0.10	0.10	0.10	0.13	0.24	0.27	0.27
85-89	0.06	0.07	0.07	0.07	0.07	0.08	0.09	0.09	0.10	0.10	0.12	0.19	0.29	0.32
90-94	0.03	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.06	0.09	0.12	0.22	0.26
95+	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.03	0.04	0.07	0.11
TOTAL F	0.30	0.31	0.33	0.34	0.35	0.37	0.38	0.40	0.41	0.43	0.61	0.89	1.16	1.29
% of F Population	0.18%	0.19%	0.20%	0.20%	0.21%	0.22%	0.23%	0.23%	0.24%	0.25%	0.33%	0.47%	0.59%	0.66%
% F of total Inc	61.3%	61.3%	60.9%	60.6%	60.3%	59.9%	59.7%	59.4%	59.2%	58.9%	57.3%	56.9%	57.3%	56.9%
Persons														
0-59	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
60-64	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02	0.02
65-69	0.03	0.04	0.04	0.04	0.04	0.04	0.05	0.05	0.05	0.05	0.07	0.08	0.08	0.08
70-74	0.06	0.06	0.06	0.06	0.07	0.07	0.07	0.07	0.08	0.08	0.14	0.15	0.16	0.16
75-79	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.13	0.13	0.13	0.21	0.30	0.33	0.35
80-84	0.12	0.13	0.14	0.15	0.16	0.16	0.16	0.17	0.17	0.17	0.24	0.42	0.47	0.49
85-89	0.09	0.09	0.10	0.11	0.11	0.12	0.14	0.15	0.16	0.16	0.21	0.34	0.49	0.57
90-94	0.04	0.05	0.05	0.05	0.06	0.06	0.07	0.07	0.07	0.08	0.14	0.20	0.36	0.42
95+	0.01	0.01	0.01	0.01	0.01	0.01	0.02	0.02	0.02	0.02	0.05	0.07	0.12	0.19
TOTAL P	0.48	0.51	0.54	0.56	0.59	0.61	0.64	0.67	0.69	0.72	1.07	1.57	2.02	2.28
% of Population	0.15%	0.16%	0.17%	0.17%	0.18%	0.18%	0.19%	0.20%	0.20%	0.21%	0.29%	0.41%	0.52%	0.58%



REFERENCES

Access Economics (2005a) *Dementia estimates and projections: Victoria and its regions*, Report for Alzheimer's Australia Vic, Canberra, February. Available on www.alzheimers.org.au

Access Economics (2005b) *Dementia estimates and projections: Western Australia and its regions*, Report for Alzheimer's Australia WA, Canberra, February. Available on www.alzheimers.org.au

Access Economics (2004) *Delaying the onset of Alzheimer's Disease: Projections and issues*, Report for Alzheimer's Australia, Canberra, August. Available on www.alzheimers.org.au

Access Economics (2003) *The Dementia Epidemic: Economic Impacts and Positive Solutions for Australia*, Report for Alzheimer's Australia, Canberra, March. Available on www.alzheimers.org.au

Australian Bureau of Statistics (2004) *Disability Ageing and Carers, Australia: Summary of Findings*, Cat No 4430.0, September.

Australian Bureau of Statistics (2003) *Population Projections, Australia* Cat No 3222.0, September.

Australian Bureau of Statistics (1999) *Disability Ageing and Carers, Australia: Summary of Findings*, Cat No 4430.0, April.

Fratiglioni L, Launer L, Andersen K, Breteler M, Copeland J, Dartigues J-F et al (2000) "Incidence of dementia and major subtypes in Europe: A collaborative study of population-based cohorts" *Neurology* 54(Suppl 5):S10-15.

Gao S, Hendrie HC, Hall KS, Hui S (1998) "The relationships between age, sex and the incidence of dementia and Alzheimer disease" *Archives of General Psychiatry* 55: 809-815.

Hofman A, Rocca WA, Brayne C, Breteler MMB, Clarke M, Cooper B, et al (1991) "The prevalence of dementia in Europe: A collaborative study of 1980-1990 findings" *International Journal of Epidemiology* 20:736-48.

Jorm AF, Dear KBG, Burgess NM (in press) *Projections of Future Numbers of Dementia Cases in Australia With and Without Prevention*, Centre for Mental Health Research, Australian National University.

Jorm AF, Korten AE, Henderson AS (1987) "The prevalence of dementia: A quantitative integration of the literature" *Acta Psychiatrica Scandinavica* 76:465-79.

Jorm AF, Jolley D (1998) "The incidence of dementia: A meta-analysis" *Neurology* 51:728-733.

Launer LJ, Andersen K, Dewey ME, Letenneur L, Ott A, Amaducci LA et al (1999) "Rates and risk factors for dementia and Alzheimer's disease: Results from EURODEM pooled analyses" *Neurology* 52:78-84.



Lobo A, Launer L, Fratiglioni L, Andersen K, Di Carlo A, Breteler M, et al (2000) "Prevalence of dementia and major subtypes in Europe: A collaborative study of population-based cohorts" *Neurology* 54(Suppl 5):S4-9.

Ritchie K, Kildea D (1995) "Is senile dementia "age-related" or "ageing-related"? Evidence from meta-analysis of dementia prevalence in the oldest old" *Lancet* 346: 931-4.

Wancata J, Musalek M, Alexandrowicz R, Krautgartner M (2003) "Number of dementia sufferers in Europe between the years 2000 and 2050" *European Psychiatry* 18:306-313.