



Explaining Social Exclusion in Alcohol-Related Dementia: A Literature Review

Renee Brighton, Lecturer/Research Student

and

Associate Professor Victoria Traynor,
Associate Professor Janette Curtis

School of Nursing, Midwifery & Indigenous Health,
University of Wollongong, NSW



Why research this?

- People 'fall through the net' – do not meet with 'criteria' for majority of services
- Inexperienced staff & unsuitable services do not take into account the complexities that surround people with alcohol-related dementia
- Remains the 'hidden dementia' in current clinical practice and the literature



What is alcohol-related dementia?

- Alcohol intrinsic to Australian culture, but large proportion population drink at levels that place them at risk of alcohol-related harm
- NHMRC (peak body who develops alcohol guidelines) found ¼ Australians at risk of alcohol-related harm
- Harms include cognitive & neurological impairment, structural brain changes = alcohol-related dementia, but degree of recovery possible
- Over 10% younger people have dementia that is alcohol-related, some research even states over 20%



What was found in the literature?

- 35 articles retrieved - quantitative and qualitative studies, systematic reviews and government reports
- Research had to be with those with a definite diagnosis of alcohol-related brain condition and/or their carers
- **6 key themes** evident in the research



Case study

- Darcy, artist, divorced 52 year-old gentleman with a 25+ year history alcoholism
- 12 year contact D&A services, over last 9 years worsening cognitive impairment noted on each contact
- Symptoms included: memory loss, difficulties mobilising, slowed thought processes, poor judgement, changes in personality, perception & behaviours
- Also experienced mild liver problems & nutritional deficits



First theme

- **Under recognition & lack of timely diagnosis**
 - Darcy experienced 8 years of significant cognitive impairment, but diagnosed at 45 with clinical depression
 - No alcohol-related brain diagnosis given until age 49, when Darcy needed constant supervision & could not adequately maintain independent living



Second theme

- **Service provision (or lack there of...)**
 - Darcy treated for at least 3 years by both D&A and mental health services, without either knowing about one another
 - No fixed abode for approximately 5 years, used up 'quota' of emergency accommodation
 - Did not meet criteria for drug and alcohol residential rehabilitation



Third theme

- **Stigma**

- Darcy's family/former friends would have 'nothing to do with him', related to poor behaviours from persistent alcohol abuse
- Health care workers & others called him 'sub-human', not deserving of love and care, due to 'self-inflicted' nature of his illness
- Resulted in damaging self-stigma, 'alcoholic creep', 'worthless human being', 'did not deserve to live'



Fourth theme

- **Homelessness**

- Darcy homeless for 5 years, no money, no family or friends to take him in
- Difficulty for Darcy to distinguish between right & wrong, short-term memory problems – difficulties caring for himself
- Darcy left in an extremely vulnerable state with others taking advantage of him, loss of identity and 'broken' life



Fifth theme

- **Carer needs (not being addressed)**
 - Darcy's friends found difficulty accessing services, treatment, support & any information about alcohol-related dementia
 - Friends 'fed up' with lack support/information and Darcy's worsening cognitive symptoms & behavioural problems – Darcy 'kicked out' and homeless for at least 5 years



Sixth theme

- **Recovery pathways (also lack there of...)**
 - Lack of coordinated services for Darcy = no chance of recovery
 - No one person/organisation coordinating care = no opportunity to stop drinking and to slow down or stop cognitive impairment
 - Darcy sadly died alone just short of his 53rd Birthday



Social Exclusion

- Wider marginalisation and social exclusion occurs for the majority of those with alcohol-related dementia
- The need to heal the 'broken lives' of these people needs to be prioritised before a reduction in this social exclusion will be seen



Specialist rehabilitation unit

- **Key principles of treatment:**
 - Staff are experienced in complexities of alcohol-related dementia - coordinate care, provide safe and therapeutic environment
 - Support for abstinence from alcohol, so that recovery a possibility
 - A rehabilitative approach to assist with independence in everyday living
 - Active family involvement, as support networks improve treatment outcomes



References

- Clarke, CL 2009, 'Risk and long-term conditions: the contradictions of self in society', *Health, Risk & Society*, vol. 11, no. 4, pp. 297-302.
- Harper, C 2007, 'The neurotoxicity of alcohol', *Human & Experimental Toxicology*, vol. 26, pp. 251-257.
- Keady, J, Clarke, CL, Wilkinson, H, Gibb, CE, Williams, L, Luce, A & Cook, A 2009, 'Alcohol-related brain damage: narrative storylines and risk constructions', *Health, Risk & Society*, vol. 11, no. 4, pp. 321-340.
- Kopelman, MD, Thomson, AD, Guerrini, I & Marshall, EJ 2009, 'The Korsakoff syndrome: clinical aspects, psychology and treatment', *Alcohol & Alcoholism*, vol. 44, no. 2, pp. 148-154.
- McMillan, TM & Laurie, M 2004, 'Young adults with acquired brain injury in nursing homes in Glasgow', *Clinical Rehabilitation*, vol. 18, pp.132-138.
- MacRae, R & Cox, S 2003, *Meeting the needs of people with Alcohol Related Brain Damage: A literature review on the existing and recommended service provision and models of care*, Dementia Services Development Centre, ISB 1857691598, University of Stirling, Scotland.
- North, L, Gillard-Owen, L, Bannigan, D & Robinson, C 2010, 'The development of a multidisciplinary programme for the treatment of alcohol-related brain injury', *Advances in Dual Diagnosis*, vol. 3, no. 2, pp. 5-12.
- NHMR 2009. *Australian Guidelines to Reduce Health Risks from Drinking Alcohol*, ISBN Print: 1864963743.
- Panegyres, PK & Frencham, K 2007, 'Course and causes of suspected dementia in young adults: a longitudinal study', *American Journal of Alzheimer's Disease & Other Dementias*, vol. 22, pp. 448-456.
- Smith, DM, Roland, M & Atkinson, MD 1995, 'Alcoholism and dementia', *The International Journal of the Addictions*, vol. 30, no. 13, pp. 1843-1869.
- Smith, I & Hillman, A 1999, 'Management of alcohol Korsakoff syndrome', *Advances in Psychiatric Treatment*, vol. 5, pp. 271-278.
- Williams, T, Deardon, AM & Cameron, IH 2001, 'From pillar to post – a study of younger people with dementia', *Psychiatric Bulletin*, vol. 25, pp. 384-387.